

210-BMGC

Dell P2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, HDMI, DP, VGA

Product Overview

Dell 210-BMGC P2725H 27" IPS Full HD 1920x1080 LED backlit Monitor, 100 Hz Refresh Rate, Anti-Glare with 3H hardness, 178 degree viewing angle, 1500:1 contrast ratio, 16:9 Aspect Ratio, LED edgelight system, 300 nits brightness, 8ms gray-to-gray response time (Normal mode), 99% sRGB Colour Gamut, TUV eye comfort, 1x HDMI 1.4, 1x DisplayPort 1.2, 1x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (Data only), 150mm Height Adjustable, Tilt, Swivel, Pivot, VESA (100 mm x 100mm)





Specifications

Overview:

Dell 27 Monitor - P2725H

Stay productive. Get enhanced visual comfort and seamless connectivity with this 27-in FHD monitor, certified by TÜV for 4-star eye comfort.

Features:

Dell 27 Monitor - P2725H

An overview of the new Dell 27 Monitor - P2725H. A monitor that optimizes eye comfort and features impressive visuals with improved connectivity and adjustability in a sustainably made design.

Enhanced eye comfort

4-star certified monitor for eye comfort.

Improved ComfortView Plus

Reduces harmful blue light emissions to <= 35%, for all-day comfort without sacrificing colour.

Refresh Rate

100Hz refresh rate delivers less flicker, more seamless scrolling, and smoother motion.

Vivid Colours

Wide colour coverage with up to 16.7m displayable colours of 99% sRGB.

Amazing visual clarity

See more on this ultra-thin bezel monitor.

Colour consistency

Vibrant colours across wide viewing angles enabled by In-Plane Switching (IPS) technology.

1500:1 contrast ratio

For deeper blacks and brighter whites.

Connect to productivity

Connect your accessories with a wide variety of ports.

ComX Computers

Product Specification Sheet

Extensive connectivity

Wide variety of ports for all your accessories.

Quick Access USB Ports

Including a USB-C downstream that delivers up to 15W of power.

Mounting compatibility

VESA compatible accessories and soundbar.

Designed for comfort

Adjustability to meet your preferences throughout the day.

Tilt

Adjustment from -5 / +21.

Swivel

Bi-directional adjustment up to 45.

Pivot

Bi-directional adjustment up to 90.

Height

Adjustability up to 150mm.

Improved multitasking

Organise your screen with Easy Arrange and save profiles with Easy Arrange Memory.

Smooth deployment

Manage your fleet of monitors with features that are automatic, comprehensive and compatible with several tools.

Convenient customisation

Quickly access your favourite features and functions with the menu launcher and hot keys.

Design innovation

This monitor has been thoughtfully crafted with sustainable materials including 85% recycled plastics with post-consumer recycled plastic and closed-loop ITE-derived plastic, 50% recycled steel, 100% recycled aluminium and at least 20% recycled glass.

Low-impact packaging

This monitor ships with reduced plastic and is in a box made with 100% renewable materials that is recyclable . Dell is shifting to a cushioning solution derived entirely from fibre that is kinder to the environment.

Energy conservation

Using PowerNap mode in Dell Display Manager lowers energy use by up to 14.8%.

Excellence in environmental standards

This monitor is certified ENERGY STAR 8.0, carries the TCO Certified Edge designation, and is registered EPEAT Gold with Climate+ . With Climate+, this monitor has met Dell's best practices around decarbonisation.

Ports & Slots

- Security lock slot (based on Kensington Security Slot)

ComX Computers

Product Specification Sheet

- Power connector
- HDMI
- Stand lock
- DisplayPort 1.2
- VGA
- USB 3.2 Gen1 Type-B upstream
- USB 3.2 Gen1 Type-A downstream ports (2)
- Soundbar slots (2)
- USB 3.2 Gen1 Type-A downstream
- USB 3.2 Gen1 Type-C downstream (PD of up to 15W)

Cables Included:

- Power cord
- DP-to-DP, 1.8m
- HDMI 1.8m (for selected countries only)
- USB 3.2 Gen1 Type A-to-B (upstream) cable, 1.8m

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	210-BMGC
Technical Information	
Diagonal Viewing Size	27"
Preset Display Area (H x V)	597.89 mm x 336.31 mm (23.54" x 13.24")
	Area: 201,076.39 mm2 (311.67 inches2)
Panel Type	In-Plane Switching (IPS) technology
Display Screen Coating	Anti-glare with 3H hardness
Maximum Preset Resolution	1920 x 1080
Refresh rate	100 Hz
Viewing Angle	178 degrees vertical / 178 degrees horizontal
Pixel Pitch	0.3114 mm x 0.3114 mm
Pixel Per Inch (PPI)	81.57
Contrast Ratio	1,500: 1 (typical)
Aspect Ratio	16:09
Backlight Technology	LED edgelight system
Brightness	300 cd/m2 (typical)
Response Time	5ms gray-to-gray (Fast mode)
	8ms gray-to-gray (Normal mode)
Color Support	Up to 16.7 million colors

ComX Computers

Product Specification Sheet

Color Gamut	99% sRGB
TÜV Eye Comfort	Yes, 4-Star
Flicker Free	Yes
Connectivity	1x HDMI 1.4 (HDCP 1.4) (Supports up to FHD 1920 x 1080 100Hz TMDS as per specified in HDMI 1.4)
	1x DP 1.2 (HDCP 1.4)
	1x VGA
	1x USB 3.2 Gen1 Type-B upstream
	3x USB 3.2 Gen1 Type-A downstream
	1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)
USB Power Delivery	Yes, up to 15W via USB-C downstream port
Adjustability	Height, Tilt, Swivel, Pivot
Height	Up to 150 mm (5.9")
Tilt	-5 degrees/+21 degrees
Swivel	-45 degrees / +45 degrees
Pivot	-90 degrees / +90 degrees
Dell Display Manager Compatibility	Yes with Easy Arrange
Remote Asset Management	Yes
Voltage Required	100 VAC to 240 VAC / 50 Hz or 60 Hz +/- 3 Hz / 1.5 A (typ)
Power Consumption (Operational) (typical)	0.3 W (Off mode)
	0.3 W (Standby mode)
	15.8 W (On mode)
	74 W (Max)
	12.9 W (Pon)
	41.3 kWh (TEC)
Audio Output	Optional soundbar (sold separately)
Security	Security-lock slot (based on Kensington Security Slot)
Compliant Standards	ENERGY STAR certified monitor
	EPEAT GOLD
	EPEAT Climate+
	TCO Certified Displays
	TCO Certified Edge
	RoHS-compliant
	BFR / PVC free monitor (excluding external cables)
	Arsenic-free glass and mercury-free (panel only)
Flat Panel Mount Interface	VESA (100 mm x 100mm)

ComX Computers

Product Specification Sheet

Temperature Range	Operating: 0 degreesC ~ 40 degreesC (32 degreesF ~ 104 degreesF)
	Non-operating: -20 degrees ~ 60 degreesC (-4 degrees ~ 140 degreesF)
Humidity Range	Operating: 10% ~ 80% (non-condensing)
	Non-operating: 5% ~ 90% (non-condensing)
Altitude	Operating: 5,000 m (16,404 ft) max
	Non-operating: 12,192 m (40,000 ft) max
What's Included	1x Monitor panel
	1x Stand riser and base
	1x Quick setup guide
	1x Safety, Environmental, and Regulatory Information
Cables Included	1x Power cord
	1x DP-to-DP cable, 1.8m
	1x USB 3.2 Gen1 Type A-to-B (upstream) cable, 1.8m
	1x HDMI-to-HDMI cable, 1.8m (for select countries only)
Energy Class	Class D
Physical Characteristics	
Height with stand (Compressed ~ Extended)	384.56 mm ~ 534.56 mm
Width with stand	610.68 mm
Depth with stand	192.28 mm
Height without stand	354.71 mm
Width without stand	610.68 mm
Depth without stand	50.03 mm
Weight (panel only - for VESA mount)	4.03 kg
Weight (with packaging)	8.47 kg

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/210-BMGC-Dell-P2725H-27-IPS-Full-HD-1920x1080-LED-backlit-Buy-p-303150.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 15:41:22.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

ComX Computers

Product Specification Sheet

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.