



210-BRDS

Dell Pro 27 Plus P2725qe 27" IPS 4K UHD 3840x2160 LED USB-C Hub monitor, Type-C, HDMI, DP

Product Overview

Dell 210-BRDS Pro 27 Plus P2725qe 27" IPS 4K UHD 3840x2160 LED USB-C Hub Monitor, 5 ms response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system, 150 mm Maximum adjustable height, Tilt, Swivel, Pivot, 100 Hz standard Refresh Rate, 1.07 Billion colours, 1500:1 native contrast ratio, 350 nits brightness, 1x HDMI Port, 1x DisplayPort 1.4, 1x USB-C 5Gbps upstream Port (DisplayPort 1.4 alternate mode & Power Delivery up to 90W), 1x USB-C 5Gbps downstream Port, 3x USB 5Gbps Type-A downstream Ports Ethernet, 1x RJ45 Ethernet Port, 100x100mm VESA Mount standard





Specifications

Overview Summary:

Upgrade your productivity with the Dell P2725QE Pro 27 Plus, a 4K UHD monitor engineered for professional performance. With an ultra-sharp 3840x2160 resolution, USB-C hub, and advanced ergonomic adjustability, it's the perfect addition to any modern workspace in South Africa. Whether you're working with large datasets, editing media, or running multiple apps, this display delivers exceptional clarity and seamless connectivity.

Featuring wide colour support, low blue light technology, and eco-conscious materials, the P2725QE combines stunning visuals with comfort and sustainability. Buy now to elevate your workflow with a monitor built to perform and designed to care for the planet.

Performance tier:Professional

Uses:Graphic design, video editing, business analytics, office productivity, multitasking setups, MacBook docking, remote work environments

Overview:

Dell P2725QE Pro 27 Plus 4K USB-C Hub Monitor - Performance Meets Precision

Upgrade your workspace with the Dell Pro 27 Plus (model 210-BRDS), a 27-inch 4K UHD monitor built for professionals who demand exceptional clarity, reliable connectivity, and user-first comfort features. With macOS compatibility and industry certifications, it's a versatile display that adapts to your workflow.

Quick Specifications:

- Screen size: 27"
- Flat or curve: Flat
- Panel type: IPS
- Aspect ratio: 16:9
- Resolution: 3840 x 2160 (4K UHD)
- Refresh rate: 100Hz
- Brightness (nits): 350 nits
- Contrast ratio: 1500:1
- View angle (degrees): 178 degrees

ComX Computers

Product Specification Sheet

- Response time (ms): 5ms (Fast mode)
- Frequency (Hz): 100Hz
- Sync: -
- Video ports: HDMI x1, DisplayPort 1.4 x1, USB-C (upstream with PD 90W) x1, USB-C downstream x1, USB-A x3, RJ45 Ethernet
- Monitor performance tier: Professional
- Uses: Graphic design, video editing, business analytics, office productivity, multitasking setups, MacBook docking, remote work environments
- VESA: 100 x 100 mm

Features:

Stunning 4K Display for Crystal-Clear Visuals

Experience breathtaking image quality with Ultra HD resolution (3840x2160). The Dell P2725QE monitor delivers lifelike detail, ideal for design, content creation, and productivity. A native contrast ratio of 1500:1 and 350 nits of brightness ensure deeper blacks and vibrant whites.

- 27-inch IPS LED panel
- In-Plane Switching for wide 178degrees viewing angles
- 1.07 billion displayable colours
- 99% sRGB colour accuracy
- 100 Hz refresh rate for smoother motion

Eye Comfort for Long Working Hours

Built with your eyes in mind, this display is TÜV Rheinland 4-star certified for eye comfort. It features ComfortView Plus technology, reducing harmful blue light to 35% or less without compromising colour quality. Whether you're working by day or night, your eyes stay protected.

Seamless Connectivity with USB-C Hub

Stay connected with a full suite of ports designed for modern workflows. The built-in USB-C hub simplifies your setup, powering and connecting your devices with a single cable.

Ports include:

- 1 x HDMI
- 1 x DisplayPort 1.4
- 1 x USB-C upstream (5Gbps, DisplayPort 1.4 Alt Mode, 90W Power Delivery)
- 1 x USB-C downstream (5Gbps)
- 3 x USB-A downstream (5Gbps)
- 1 x RJ45 Ethernet

Quick-access front pop-out ports offer added convenience with easy-to-reach USB-C and USB-A inputs (USB-C supports up to 15W charging).

Ergonomic Design with Full Adjustability

Work in total comfort with a highly adjustable stand and ultra-thin bezels for a modern aesthetic. Customise your setup with:

- Height adjustment up to 150mm
- Tilt from -5degrees to +21degrees
- Swivel left/right up to 45degrees
- Pivot 90degrees for portrait or landscape viewing

Smart Software Integration

Dell Display and Peripheral Manager enhances multitasking and display control.

Key features include:

- Easy Arrange for tiling applications and snapping up to 5 custom windows
- Brightness and contrast automation by time or preference
- Display management from a single, cloud-based IT console
- Expanded Command Line Interface options for enterprise control

Built for Sustainability

This monitor has been thoughtfully engineered with eco-conscious materials and processes:

- Up to 85% post-consumer recycled plastic
- 50% recycled steel, 100% recycled aluminium
- At least 20% recycled glass
- Up to 31% total recycled content by weight

The monitor also meets top global environmental standards:

- EPEAT Gold with Climate+
- ENERGY STAR certified
- TCO Certified (latest designation)
- Manufactured using renewable energy

Eco-friendly packaging made from 100% renewable materials helps further reduce environmental impact.

Mac Compatibility Out of the Box

Tested and ready to work with macOS devices, this USB-C monitor offers plug-and-play functionality with most modern MacBooks via USB-C or HDMI.

Based on internal Dell testing with select monitors and macOS devices (June 2024). Some features may vary depending on connection type.

Modernise and Upgrade Sustainably

Dell supports businesses in responsibly retiring old IT equipment, regardless of brand. Transition seamlessly while meeting your environmental goals.

Why Choose the Dell P2725QE Monitor

Whether you're a creative professional, data analyst, or remote worker, the Dell Pro 27 Plus is engineered to support high-performance tasks while keeping sustainability and comfort in focus.

From premium 4K resolution and powerful USB-C connectivity to eco-friendly design and advanced productivity tools, this monitor is a smart, future-ready choice for any workspace.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	210-BRDS
Technical Information	

Number of Screens	1
Screen Size Class	27"
Viewable Screen Size	27"
Screen Mode	4K UHD
Panel Technology	In-plane Switching (IPS) Technology
Response Time	5 ms
Response Time Details	8ms GTG
	5ms GTG (Fast)
Aspect Ratio	16:9
Pixel Pitch	0.1554 mm x 0.1554 mm
Horizontal Viewing Angle	178 degrees
Vertical Viewing Angle	178 degrees
Mount Type	Panel Mount
Backlight Technology	LED Edgelight System
HDCP Supported	Yes
Maximum Adjustable Height	150 mm
Tilt Angle	-5 degrees to 21 degrees
Swivel Angle	-45 degrees to 45 degrees
Pivot Angle	+/-90 degrees
Features	Narrow Bezel
	sRGB
	Eye Comfort Technology
	Anti-glare
	Security Lock
	Cable Lock Slot
	Stand Lock
	BFR Free
	PVC Free
	Arsenic-free Glass
	Mercury-free
Horizontal Frequency	30 kHz to 227 kHz - HDMI 2.1
	30 kHz to 227 kHz - USB Type C
	30 kHz to 227 kHz - DisplayPort 1.4
Vertical Frequency	48 Hz to 100 Hz - DisplayPort 1.4
	48 Hz to 100 Hz - USB Type C
	48 Hz to 100 Hz - HDMI 2.1
Adjustable Stand	Yes

ComX Computers

Product Specification Sheet

Stand Adjustments	Tilt
	Pivot
	Height
	Swivel
Stand Included	Yes
Glass Hardness	3H
Operation Hours	8 Hours/5 Days
Video	
Maximum Resolution	3840 x 2160
Standard Refresh Rate	100 Hz
Colour Supported	1.07 Billion Colours
Native Contrast Ratio	1,500:1
Brightness	350 cd/m ²
Colour Gamut	99% sRGB (CIE 1931)
Maximum Preset Resolution	3840 x 2160 at 100Hz
Pixel Per Inch (PPI)	163
Interfaces/Ports	
Connectivity	Video port
	1 HDMI port (HDCP2.3) (supports up to UHD 3840 x 2160 100 Hz FRL as per specified in HDMI 2.1)
	1 Display Port 1.4 (HDCP2.3)(Support up to 3840 x 2160 100Hz) USB port
	1 USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate mode, Power Delivery up to 90W)
	1 USB-C 5Gbps downstream port
	3 USB 5Gbps Type-A downstream ports Ethernet
	1 RJ45 Ethernet port, 1GbE
USB Type-C (Power Delivery) upstream port	Up to 90 W
USB Type-C (Power Delivery) downstream port	Up to 15 W
Built-in Devices	
Built-in Devices	NA
Environmental Conditions	
Operating Temperature Range	32 degrees F (0 degrees C) to 104 degrees F (40 degrees C)
Non-operating Temperature Range	-4 degrees F (-20 degrees C) to 140 degrees F (60 degrees C)
Operating Humidity Range	10% to 80% (Non-condensing)
Non-operating Humidity Range	5% to 90% (Non-condensing)
Maximum Operating Altitude	4999.94 m
Maximum Non-operating Altitude	12192 m

Power Description	
Input Voltage Range	100V AC to 240V AC
Operating Power Consumption	25.50 W
Standby Power Consumption	0.3 W
Off-Mode Power Consumption	0.3 W
Energy Efficiency Class	F
Frequency	50 Hz
	60 Hz
Maximum Power Consumption	200 W
Voltage Current	0.125
Physical Characteristics	
VESA Mount Compatible	Yes
VESA Mount Standard	100 x 100
Height	356.55 mm
Width	612.50 mm
Depth	49.99 mm
Height with Stand	535.70 mm
Width with Stand	612.50 mm
Depth with Stand	192.16 mm
Compressed Height with Stand	385.70 mm
Extended Height with Stand	535.70 mm
Bezel Width (Top)	7.88 mm
Bezel Width (Bottom)	13.02 mm
Bezel Width (Left)	7.88 mm
Bezel Width (Right)	7.88 mm
Weight (Approximate)	4.62 kg
Stand Height	428.30 mm
Stand Width	272.84 mm
Stand Depth	189 mm
Weight with Stand (Approximate)	6.60 kg
Miscellaneous	
Package Contents	Pro 27 Plus 4K USB-C Hub Monitor P2725QE
	Stand
	QR Card
	Safety Information
	Cable Tie
Energy Star	Yes

ComX Computers

Product Specification Sheet

Country of Origin	China
TCO Certified	Yes
Dell Display Manager Compatibility	Yes
Remote Asset Management	DDPM
Cables Included	Power cable
	1 x DisplayPort to DisplayPort 1.4 cable - 1.80 m
	1 x USB-C to C 10Gbps, 100W cable -1.00 m
	1 x USB Type-C to Type-A 5Gbps cable - 1.80 m
Environmentally Friendly	Yes
Environmental Certification	Electronic Product Environmental Assessment Tool Gold (EPEAT Gold)
	Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)
	TCO Certified Edge
	TCO Certified 10.0
Energy Efficiency Certification	ENERGY STAR 8.0
Energy Efficiency Compliance	Energy-related Products Directive Lot 5 (ErP Lot 5)
Environmental Compliance	Restriction of Hazardous Substances (RoHS)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/210-BRDS-Dell-Pro-27-Plus-P2725qe-27-IPS-4K-UHD-3840x2160-Buy-p-327497.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-15 03:06:53.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.