

## 210-BVCC

Dell SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor,HDMI

### Product Overview

Dell 210-BVCC SE2726h 27" IPS Full HD 1920x1080 LED backlit Monitor, 1 ms MPRT, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, LED edgelight system backlight Technology, Tilt, 1920x1080 at 144Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, AMD FreeSync, 72% NTSC Colour Gamut, 2x HDMI Port, 100x100 VESA Mount Standard





## Specifications

### Overview Summary:

The Dell SE2726H 27-inch Full HD monitor delivers smooth, vibrant visuals for both work and entertainment. With IPS technology, a 144Hz refresh rate and 1ms MPRT response time, you can enjoy fluid motion and consistent colour from wide viewing angles. AMD FreeSync support helps reduce screen tearing, while TÜV-certified eye comfort features and low blue light technology make long hours in front of the screen more comfortable.

Ideal for home offices, students and casual gamers in South Africa, this sleek monitor features dual HDMI ports, tilt adjustment and VESA mount compatibility for flexible setup options. Whether you're upgrading your workspace or enhancing your gaming setup, the Dell SE2726H is a reliable choice. Buy now and enjoy clear, smooth performance every day.

**Performance tier:**Mid-range

**Uses:**Office work, home computing, casual gaming, streaming, studying

### Overview:

The Dell 27 Monitor - SE2726H is built for smooth performance, everyday productivity, and comfortable viewing. With a 27 inch IPS display, Full HD resolution, and a fast 144Hz refresh rate, it delivers sharp detail and fluid motion whether you are working, streaming, or gaming. Designed with TUV certified eye comfort technology and a compact, modern profile, this monitor fits seamlessly into home offices, study areas, or entertainment setups.

### Description:

The Dell SE2726H 27 inch Full HD monitor combines a vibrant IPS panel with a 144Hz refresh rate and 1ms MPRT response time for smooth visuals and reduced motion blur. ComfortView Plus low blue light technology helps minimize eye strain during long sessions, while AMD FreeSync support reduces screen tearing for fluid gameplay. Dual HDMI ports make switching between devices simple, and the slim bezel design maximizes screen space. With tilt adjustment and VESA mount compatibility, it adapts easily to your workspace.

### Features:

#### Smooth Full HD Display with 144Hz Refresh Rate

Experience consistent clarity on a 27 inch IPS screen with 1920 x 1080 resolution at up to 144Hz. The high refresh rate ensures smoother scrolling, responsive gameplay, and seamless video playback. A 1ms MPRT response time, along with 4ms and 8ms GTG options, helps reduce motion blur for sharper fast moving scenes.

---

## ComX Computers

### Product Specification Sheet

With support for 16.7 million colours, 72 percent NTSC colour gamut, 300 nits brightness, and a 1000:1 native contrast ratio, the display produces balanced contrast and natural colour reproduction. The anti glare surface improves visibility in bright environments, making it suitable for both work and entertainment.

### IPS Technology and Wide Viewing Angles

The In Plane Switching panel maintains colour accuracy and consistency across wide 178 degree horizontal and vertical viewing angles. Whether you are collaborating with colleagues or watching content from different positions, the screen maintains stable image quality without distortion or colour shifting.

Ultra thin bezels on three sides enhance immersion and make this monitor ideal for multi monitor setups.

### Eye Comfort and Low Blue Light Protection

Long hours in front of a screen can cause eye fatigue. This Dell 27 inch monitor is equipped with ComfortView Plus, a built in low blue light solution designed to reduce harmful blue light exposure while preserving accurate colours. It is TUV Rheinland 3 star certified for eye comfort, helping create a more comfortable viewing experience throughout the day.

### AMD FreeSync for Tear Free Performance

AMD FreeSync technology synchronizes the monitor refresh rate with compatible graphics cards to minimize screen tearing and stuttering. This results in smoother gameplay and more fluid visuals, especially during fast paced scenes.

### Space Saving Design with Flexible Setup

Designed for modern workspaces, the monitor features a compact stand with integrated cable management and a built in power supply unit to reduce clutter. The stand supports tilt adjustment from minus 5 degrees to 21 degrees, allowing you to find a comfortable viewing angle.

For wall mounting or custom setups, the display supports the 100 x 100 VESA mount standard.

Key design highlights include:

- Slim bezel design for a cleaner, more immersive look
- Dual HDMI ports for easy connection to multiple devices
- Integrated cable holder for improved desk organization
- Kensington security lock slot for added protection

### Connectivity and Included Accessories

The rear panel includes:

- 2 HDMI 1.4 ports supporting up to 1920 x 1080 at 144Hz
- Power connector
- Security lock slot

In the box you will find:

- Monitor panel
- Stand
- Power cable
- 1.8 meter HDMI cable
- QR card and regulatory documentation

### Detailed Technical Information

Display and performance:

- Screen size: 27 inch
- Resolution: 1920 x 1080 at 144Hz
- Panel type: IPS

ComX Computers

Product Specification Sheet

- Aspect ratio: 16:9
- Brightness: 300 cd per m2
- Contrast ratio: 1000:1
- Pixel pitch: 0.31140 mm
- Viewing angle: 178 degree horizontal and vertical
- Colour support: 16.7 million colours
- Pixel density: 81 PPI
- Backlight: LED edgelight system
- Surface treatment: Anti glare, 3H hardness

Physical dimensions and weight:

- Width without stand: 611.10 mm
- Height without stand: 361.86 mm
- Depth without stand: 49.22 mm
- Height with stand: 453.71 mm
- Depth with stand: 199.87 mm
- Weight without stand: 3.61 kg
- Weight with stand: 4.46 kg
- Bezel width: 6.60 mm top, 6.61 mm left and right, 13.37 mm bottom

Power and environmental details:

- Input voltage: 100V AC to 240V AC
- Operating power consumption: 17 W
- Maximum power consumption: 35 W
- Standby and off mode consumption: 0.3 W
- Operating temperature: 0 degree C to 40 degree C
- ENERGY STAR 8.0 certified
- RoHS compliant

Sustainable and Energy Efficient Build

This monitor is designed with sustainability in mind, using recycled materials including post consumer recycled plastic, recycled steel, and recycled glass. It meets strict energy efficiency standards and is ENERGY STAR certified, helping reduce overall power consumption. The packaging is made from recycled or renewable materials to further lower environmental impact.

Why Choose the Dell SE2726H 27 Inch Monitor

The Dell SE2726H offers a strong balance of performance, comfort, and design. With a 144Hz IPS Full HD display, AMD FreeSync support, eye comfort certification, and flexible connectivity, it is well suited for home offices, students, content streaming, and casual gaming. Its slim profile and VESA compatibility make it easy to integrate into almost any workspace while maintaining a clean, modern look.

Specifications:

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| © 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC ( <a href="http://www.comx.co.za">http://www.comx.co.za</a> ), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered. |          |
| Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |
| Product Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 210-BVCC |

| Technical Information         |                                     |
|-------------------------------|-------------------------------------|
| Number of Screens             | 1                                   |
| Screen Size Class             | 27"                                 |
| Viewable Screen Size          | 27"                                 |
| Screen Mode                   | Full HD                             |
| Panel Technology              | In-plane Switching (IPS) Technology |
| Response Time Details         | 1 ms MPRT                           |
|                               | 4 ms GTG (Fast)                     |
|                               | 8 ms GTG                            |
| Aspect Ratio                  | 16:9                                |
| Pixel Pitch                   | 0.31140 mm x 0.31140 mm             |
| Horizontal Viewing Angle      | 178degrees                          |
| Vertical Viewing Angle        | 178degrees                          |
| Mount Type                    | Panel Mount                         |
| Backlight Technology          | LED Edgelight System                |
| HDCP Supported                | Yes                                 |
| Tilt Angle                    | -5degrees to 21degrees              |
| Features                      | Eye Comfort Technology              |
|                               | Anti-glare                          |
|                               | Cable Lock Slot                     |
|                               | Security Lock                       |
|                               | BFR Free                            |
|                               | PVC Free                            |
|                               | Arsenic-free Glass                  |
|                               | Mercury-free                        |
| Stand Adjustments             | Tilt                                |
| Stand Included                | Yes                                 |
| Glass Hardness                | 3H                                  |
| Surface Treatment             | Anti-glare                          |
| Video                         |                                     |
| Maximum Resolution            | 1920 x 1080 at 144Hz                |
| Standard Refresh Rate         | 144 Hz                              |
| Colour Supported              | 16.7 Million Colours                |
| Native Contrast Ratio         | 1000:1                              |
| Brightness                    | 300 cd/m2                           |
| Tearing Prevention Technology | AMD FreeSync                        |
| Colour Gamut                  | 72% NTSC (CIE 1931)                 |

## ComX Computers

### Product Specification Sheet

|                                 |                                                                                        |
|---------------------------------|----------------------------------------------------------------------------------------|
| Pixel Per Inch (PPI)            | 81                                                                                     |
| Interfaces/Ports                |                                                                                        |
| Connectivity                    | Video port                                                                             |
|                                 | 2 HDMI port (HDCP 1.4) (Support up to FHD 1920 x 1080 144 Hz as specified in HDMI 1.4) |
| Environmental Conditions        |                                                                                        |
| Operating Temperature Range     | 0degreesC to 40degreesC                                                                |
| Non-operating Temperature Range | -20degreesC to 60degreesC                                                              |
| Operating Humidity Range        | 10% to 80% (Non-condensing)                                                            |
| Non-operating Humidity Range    | 5% to 90% (Non-condensing)                                                             |
| Maximum Operating Altitude      | 5 km                                                                                   |
| Maximum Non-operating Altitude  | 12.19 km                                                                               |
| Power Description               |                                                                                        |
| Input Voltage Range             | 100V AC to 240V AC                                                                     |
| Operating Power Consumption     | 17 W                                                                                   |
| Standby Power Consumption       | 0.3 W                                                                                  |
| Off-Mode Power Consumption      | 0.3 W                                                                                  |
| Frequency                       | 50 Hz                                                                                  |
|                                 | 60 Hz                                                                                  |
| Maximum Power Consumption       | 35 W                                                                                   |
| Voltage Current                 | 1.50 A                                                                                 |
| Physical Characteristics        |                                                                                        |
| VESA Mount Compatible           | Yes                                                                                    |
| VESA Mount Standard             | 100 x 100                                                                              |
| Height                          | 361.86 mm                                                                              |
| Width                           | 611.10 mm                                                                              |
| Depth                           | 49.22 mm                                                                               |
| Height with Stand               | 453.71 mm                                                                              |
| Width with Stand                | 611.10 mm                                                                              |
| Depth with Stand                | 199.87 mm                                                                              |
| Bezel Width (Top)               | 6.60 mm                                                                                |
| Bezel Width (Bottom)            | 13.37 mm                                                                               |
| Bezel Width (Left)              | 6.61 mm                                                                                |
| Bezel Width (Right)             | 6.61 mm                                                                                |
| Weight (Approximate)            | 3.61 kg                                                                                |
| Stand Height                    | 190.66 mm                                                                              |
| Stand Width                     | 290.07 mm                                                                              |
| Stand Depth                     | 199.87 mm                                                                              |

## ComX Computers

### Product Specification Sheet

|                                        |                                                                                    |
|----------------------------------------|------------------------------------------------------------------------------------|
| <b>Weight with Stand (Approximate)</b> | 4.46 kg                                                                            |
| <b>Miscellaneous</b>                   |                                                                                    |
| <b>Package Contents</b>                | Monitor                                                                            |
|                                        | Stand                                                                              |
|                                        | QR card                                                                            |
|                                        | Safety, Environmental, and Regulatory Information                                  |
| <b>Certifications &amp; Standards</b>  | Product Safety, EMC and Environmental Datasheets                                   |
|                                        | Dell Regulatory Compliance Home Page                                               |
|                                        | Dell and the Environment                                                           |
|                                        | BFR/PVC-Reduced monitor (The circuit boards are made from BFR/PVC-free laminates.) |
|                                        | Meets NFPA 99 leakage current requirements.                                        |
|                                        | Arsenic-Free glass and Mercury-Free for the panel only.                            |
| <b>Energy Star</b>                     | Yes                                                                                |
| <b>Eye Comfort Certification</b>       | Yes                                                                                |
| <b>Eye Comfort Rating</b>              | 3 Star                                                                             |
| <b>Cable Type Included</b>             | Power Cable                                                                        |
|                                        | 1 x HDMI Cable - 1.80 m                                                            |
| <b>Energy Efficiency Certification</b> | ENERGY STAR 8.0                                                                    |
| <b>Environmental Compliance</b>        | Restriction of Hazardous Substances (RoHS)                                         |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:** <https://www.comx.co.za/210-BVCC-Dell-SE2726h-27-IPS-Full-HD-1920x1080-LED-Buy-p-337049.php>

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

**Terms of Use:** <https://www.comx.co.za/terms-of-use.php>

**Terms of Sale:** <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-10 02:11:44.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.