

210-BWPJ

Dell 210-BWPJ Pro 24 E2426H 23.8" IPS Full HD 1920x1080 Monitor, DP, HDMI, VGA

Product Overview

Dell 210-BWPJ Pro 24 E2426H 23.8" IPS Full HD 1920x1080 Monitor, 8ms GTG response time, 16:9 Aspect Ratio, 178 degree viewing angle, Adjustable stand, Tilt, 1920x1080 at 120Hz maximum Resolution, 16.7 million colours supported, 1000:1 Native contrast ratio, 300 nits brightness, 72% NTSC Colour Gamut, 1x HDMI Port, 1x DisplayPort 1.4, 1x VGA Port, 100mm x 100mm VESA Mount Standard





Specifications

Overview Summary:

The Dell Pro 24 E2426H is a 23.8-inch Full HD IPS monitor designed for comfortable everyday productivity. With a smooth 120Hz refresh rate, wide viewing angles and TÜV Rheinland 3-star eye comfort certification, it delivers clear visuals for work and general computing.

HDMI, DisplayPort and VGA connectivity make it easy to connect modern and legacy devices, while the VESA-compatible design offers flexible mounting options. Buy now in South Africa or shop now for a dependable Dell monitor for your workspace.

Performance tier:Mid-range productivity

Uses:Office work, business computing, multitasking, web browsing, spreadsheets, document editing, home office use, general productivity

Overview:

Dell Pro 24 E2426H 23.8 Inch Full HD IPS Monitor

The Dell Pro 24 E2426H is a practical 23.8-inch Full HD IPS monitor designed for everyday productivity, office work, business applications and general home use. Its 1920x1080 resolution, 120Hz refresh rate and wide 178 degree viewing angle provide a smooth and comfortable viewing experience, while the IPS panel helps maintain consistent colours across the screen.

Description:

The Dell Pro 24 E2426H combines a compact design with useful connectivity and eye comfort technology. The 23.8-inch IPS display delivers clear Full HD images with support for up to 16.7 million colours, 72% NTSC colour coverage, 300 nits brightness and a 1000:1 native contrast ratio. With a 120Hz refresh rate, scrolling through documents, websites and other moving content feels smoother than on a conventional 60Hz display.

The monitor is also designed for extended daily use. Dell's hardware-based low blue light technology reduces blue light emissions while maintaining colour quality, and the display is TUV Rheinland 3-Star certified for eye comfort. An intuitive OSD joystick provides easy access to monitor settings, while the slim bezel design keeps distractions to a minimum.

Features:

Smooth Full HD Viewing for Everyday Work

ComX Computers

Product Specification Sheet

The 23.8-inch screen provides a useful balance between desktop space and a compact footprint. Full HD 1920x1080 resolution is well suited to documents, spreadsheets, web browsing, email, video calls and general business applications.

The 120Hz refresh rate improves the overall sense of responsiveness, making cursor movement, scrolling and compatible video content appear smoother. An 8ms GTG response time also supports responsive everyday display performance.

Key display details include:

- 23.8-inch IPS panel
- 1920x1080 Full HD resolution
- 120Hz maximum refresh rate
- 8ms GTG response time
- 16:9 aspect ratio
- 178 degree horizontal and vertical viewing angles
- 300 nits brightness
- 1000:1 native contrast ratio
- Up to 16.7 million displayable colours
- 72% NTSC colour gamut

Comfortable Display for Long Working Sessions

The Dell E2426H is built with eye comfort in mind. Hardware low blue light technology reduces blue light emissions to 50% or less without relying solely on software adjustments. Combined with the 120Hz refresh rate, this helps provide a more comfortable experience during long periods of reading, browsing and office work.

The monitor's IPS technology also provides consistent colour reproduction when viewed from different positions, making it suitable for shared desks and multi-user environments.

Flexible Connectivity for Modern and Legacy PCs

A useful selection of video inputs makes the E2426H suitable for a range of desktop and business systems. HDMI and DisplayPort support Full HD output at up to 120Hz, while VGA provides compatibility with older computers and equipment.

Available connections include:

- 1x HDMI 1.4, supporting up to 1920x1080 at 120Hz
- 1x DisplayPort 1.4, supporting up to 1920x1080 at 120Hz
- 1x VGA, supporting up to 1920x1080 at 60Hz
- Security lock slot
- Power connector

A 1.8m power cable and 1.8m HDMI 1.4 cable are included.

Compact Design with VESA Mounting

The Dell Pro 24 E2426H is designed to fit comfortably into a variety of workspaces. Its compact stand helps keep the desk organised, while integrated cable management reduces visible cable clutter. The monitor also supports the 100 x 100mm VESA mounting standard, giving businesses and home users the option of using compatible monitor arms or wall mounts.

The stand provides tilt adjustment for a more comfortable viewing position.

Dell Display and Peripheral Manager

Dell Display and Peripheral Manager provides additional tools for organising and managing a Dell-based workspace. Easy Arrange allows applications to be positioned across predefined or customised screen layouts, while Easy Arrange Memory can save and restore application arrangements.

Brightness and contrast settings can also be customised according to different working conditions or schedules. For business environments with multiple Dell peripherals, device management tools can assist IT teams with centralised fleet management.

Sustainability and Responsible Design

The Dell Pro 24 E2426H incorporates recycled materials as part of Dell's approach to more sustainable product design. Depending on the component, the monitor uses recycled plastic, recycled steel and recycled glass.

The model is ENERGY STAR certified and registered EPEAT Gold with Climate+, with TCO certifications supporting its focus on responsible materials, energy use and product longevity. The packaging is also made using 100% recycled or renewable materials.

Size and Weight

The monitor has a compact footprint that works well on standard office desks, reception counters, home workstations and other professional environments.

- Monitor width: 538.64 mm
- Monitor height without stand: 315.56 mm
- Monitor height with stand: 412.26 mm
- Monitor depth: 47.70 mm
- Stand width: 222.03 mm
- Stand height extended: 174.02 mm
- Stand depth: 171.00 mm
- Weight with stand and cables: 3.20 kg
- Weight without stand and cables: 2.63 kg

Dell E2426H Part Number and Model Details

This Dell Pro 24 monitor is identified by the Dell part number / SKU MNDE210-BWPJ. The manufacturer part number is CG77Y, with the Dell order code listed as E2426H.

The Dell Pro 24 E2426H is a strong choice for businesses, offices, home users and general productivity setups that need a reliable 23.8-inch Full HD IPS monitor with smooth 120Hz performance, broad connectivity, VESA mounting support and built-in eye comfort technology.

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	210-BWPJ
Technical Information	
Number of Screens	1
Screen Size Class	24"
Viewable Screen Size	23.8"
Screen Mode	Full HD
Display Screen Type	Flat Panel
Panel Technology	In-plane Switching (IPS) Technology

ComX Computers

Product Specification Sheet

Response Time Details	5 ms GTG (Fast)
	8 ms GTG
Aspect Ratio	16:9
Pixel Pitch	0.27450 mm x 0.27450 mm
Horizontal Viewing Angle	178degrees
Vertical Viewing Angle	178degrees
Mount Type	Panel Mount
HDCP Supported	Yes
Tilt Angle	-5degrees to 21degrees
Features	Anti-glare
	Eye Comfort Technology
	Cable Lock Slot
	Security Lock
	BFR Free
	PVC Free
	Low Blue Light
	Flicker-free
	Arsenic-free Glass
	Mercury-free
Adjustable Stand	Yes
Stand Adjustments	Tilt
Stand Included	Yes
Stand Type	Fixed
Curved Screen	No
Glass Hardness	3H
Surface Treatment	Anti-glare
Flicker Free	Yes
Video	
Maximum Resolution	1920 x 1080 at 120 Hz
Standard Refresh Rate	120 Hz
Colour Supported	16.7 Million Colours
Colour Depth	8-bit (6-bit + FRC)
Native Contrast Ratio	1000:1
Brightness	300 cd/m2
Colour Gamut	72% NTSC (CIE 1931)
Calibration Accuracy	No
Pixel Per Inch (PPI)	93

ComX Computers

Product Specification Sheet

Interfaces/Ports	
Connectivity	1 HDMI port (HDCP 1.4) (Supports up to 1920 x 1080, 120 Hz as specified in HDMI 1.4)
	1 DisplayPort 1.4 (HDCP 1.4) port
	1 VGA port
Built-in Devices	
Webcam	No
Microphone	No
Environmental Conditions	
Operating Temperature Range	0degreesC to 40degreesC
Non-operating Temperature Range	-20degreesC to 60degreesC
Operating Humidity Range	10% to 80% (Non-condensing)
Non-operating Humidity Range	5% to 90% (Non-condensing)
Maximum Operating Altitude	5 km
Maximum Non-operating Altitude	12.19 km
Power Description	
Input Voltage Range	100V AC to 240V AC
Operating Power Consumption	11.80 W
Standby Power Consumption	0.3 W
Off-Mode Power Consumption	0.3 W
Energy Efficiency Class	C
Frequency	50 Hz
	60 Hz
Maximum Power Consumption	31 W
Voltage Current	0.7 A
Input Voltage Range/Current Details	100 VAC to 240 VAC/50 Hz or 60 Hz +/- 3 Hz/0.7 A
Physical Characteristics	
VESA Mount Compatible	Yes
VESA Mount Standard	100mm x 100mm
Colour Family	Black
Product Colour	Black
Height	315.56 mm (12.42 in.)
Width	538.60 mm (21.21 in.)
Depth	47.70 mm (1.88 in.)
Height with Stand	412.26 mm (16.23 in.)
Width with Stand	412.26 mm (21.21 in.)
Depth with Stand	171.00 mm (6.73 in.)
Bezel Width (Top)	5.80 mm (0.23 in.)

ComX Computers

Product Specification Sheet

Bezel Width (Bottom)	13.30 mm (0.52 in.)
Bezel Width (Left)	5.80 mm (0.23 in.)
Bezel Width (Right)	5.80 mm (0.23 in.)
Weight (Approximate)	2.63 kg (5.84 lb)
Stand Height	174.02 mm (6.85 in.)
Stand Width	222.03 mm (8.74 in.)
Stand Depth	171.00 mm (6.73 in.)
Weight (with Packaging) with Stand	4.52 kg (9.92 lb)
Weight with Stand & Cables (Approximate)	3.20 kg (7.05 lb)
Miscellaneous	
Package Contents	Monitor
	Stand
	QR Card
	Safety Information
Certifications & Standards	Arsenic-Free glass and Mercury-Free for the panel only
	BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates)
	Meets NFPA 99 leakage current requirements.
	Product Safety, EMC, and Environmental Datasheets
	California CEC
	GS Mark
Platform Supported	ThinOS
	Windows
Energy Star	Yes
Country of Origin	China
TAA Compliant	No
TCO Certified	Yes
Eye Comfort Certification	Yes
Eye Comfort Rating	3 Star
Dell Display and Peripheral Manager Compatibility	Yes
Remote Asset Management	Dell Display and Peripheral Manager (DDPM)
Cable Type Included	Power Cable: 1.80 m
	1 x HDMI cable (1.8 m) for EMEA and APJC
Environmentally Friendly	Yes

ComX Computers

Product Specification Sheet

Environmental Certification	Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)
	TCO Certified 10.0
	TCO Certified Edge
	China Environmental United Certification Center (CEC)
Energy Efficiency Certification	ENERGY STAR 8.0
	China Energy Conservation Program (CECP)
Energy Efficiency Compliance	Energy-related Products Directive Lot 5 (ErP Lot 5)
	Energy-related Products Directive (ErP)
	Minimum Energy Performance Standards (MEPS)
Environmental Compliance	Restriction of Hazardous Substances (RoHS)
	Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
	Waste Electrical and Electronic Equipment Directive (WEEE)
	Eurasian Economic Union Restriction of Hazardous Substances (EAEU RoHS)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/210-BWPJ-Dell-210-BWPJ-Pro-24-E2426H-23-8-IPS-Full-Buy-p-340293.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-09 15:21:01.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.