ComX Computers
Product Specification Sheet

560672

Manhattan 5-Port Fast Ethernet Switch

Product Overview

Manhattan 5-Port Fast Ethernet Switch, Retail Box









Specifications

Overview:

The Manhattan 5-Port Fast Ethernet Switch is perfect for the home environment and small-size business looking for a durable switch that is reliable and easy to install.

Features:

- 5-port Fast Ethernet switch expands your network in an instant
- Easy plug-and-play installation - simply power it up and start using it
- Compatible with all Windows and Macintosh systems
- Five 10/100 auto-sensing ports automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Ultra-compact design
- Fanless design ideal for silent operation
- Store and forward switching architecture

Versatile

The Fast Ethernet Switch connects up to five computers, servers, printers, switches or any other Ethernet devices at 10 or 100 Mbps over Ethernet cables, and works with any operating system.

Easy to Install and Maintain

The auto features of this switch make installation plug and play and hassle free. There is no configuration required, and you don't need to worry about using special cables for uplink ports, since each port is equipped with Auto MDI/MDI-X crossover.

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	560672
Standards	IEEE 802.3 10Base-T Ethernet
	IEEE 802.3u 100Base-TX Fast Ethernet
	IEEE802.3x Flow Control and Backpressure
General	Ports: 5 10/100 Mbps NWay switch T ports
	Cable: Cat3, 4, 5 UTP/STP
	Duplex modes: all ports (up to 200 Mbps)
	Uplink: all ports Auto MDI/MDX (Auto Uplink)
	Switch architecture: store and forward switch technology
	Filter/forward rate:
	- 10BaseT: 14,880 pps (packets per second)
	- 100Base-TX: 148,800 pps (packets per second)
	Certifications: FCC Class B, CE, RoHS
LEDs	Power
	Link/Activity
	100 Mbps
Power	External AC adapter: 5 V, 0.6 A
Environmental	Dimensions: 97 (W) x 45 (L) x 23 (H) mm (3.81 x 1.77 x 0.9 in.)
	Operating temperature: 0 - 40?C (32 - 104?F)
	Humidity: 10 - 90% (non-condensing)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx.co.za/560672-Manhattan-5-Port-Fast-Ethernet-Switch-p-93845.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx.co.za/terms-of-use.php
Terms of Sale: https://www.comx.co.za/terms-of-sale.php

PDF generated: 2026-11-22 03:25:50.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.