

ACDC2578

Apc Blanking Panel, 42-48U SX / 42U VX

Product Overview

Apc Blanking Panel, 42-48U SX / 42U VX, 750mm, 65.76(lbs) 29.89(kilos), 5.87x 33.44x 82.64(in) 14.90x 84.90x 209.90(cent)



Specifications

Overview:

Hot and cold air containment systems designed to maximize cooling predictability, capacity, and efficiency at the rack, row or room level.

Features:

Availability

Scalable densities

Allows for higher densities to be achieved by integrating containment with room, row and rack cooling system architectures.

Over Aisle Access

Toolless removal of individual panels to allow access above the aisle for cabling and maintenance

Agility

Fire Safe System

Alerts personnel and drops ceiling panels based on temperature to enable fire suppressions system in the room to extinguish the fire. UL723s listed.

Ceiling tiles

ComX Computers

Product Specification Sheet

Closes off the top of the aisle to prevent mixing of the hot and cold airstreams in the IT environment.

Safe Slide Doors

Emergency break away sliding door enables quick exit in the event of an emergency

One-way locking door

Secures the hot aisle while allowing for quick exit in case of emergency.

Modular design

Modular design provides scalable solutions to add cooling as demand increases.

Total Cost of Ownership

Active Airflow Control

Monitors and actively adjust cooling unit airflow in containment systems, while providing visibility to effective cooling to critical IT equipment.

Efficiency

Increases the capacity of the air conditioner by supplying a warmer return air temperature.

EcoLEDgy Driven Lighting

Integrated high efficiency LED lighting with on/off motion sensors

Adaptability

Air Return System

Centralized hot air return system for room and external air handling systems minimize obstruction of lighting into the aisle and provide cable access from within the contained aisle.

Flexibility

Support for varying aisle widths, rack heights, rack depths, and single rows. Supports hot and cold aisle containment

Modular strategy

Modular design of the mechanical and control systems allow for gradual build-up of the cooling infrastructure to match the

ComX Computers

Product Specification Sheet

cooling demand of the facility. This greatly reduces CAPEX expenditures and provides deferred investment throughout the life of the facility.

Specifications:

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	ACDC2578
Physical	
Maximum Height	34.00 mm
Maximum Width	750.00 mm
Maximum Depth	2315.00 mm
Net Weight	22.38 KG
Shipping Weight	29.89 KG
Shipping Height	149.00 mm
Shipping Width	849.00 mm
Shipping Depth	2099.00 mm
Sustainable Offer Status	
RoHS	Compliant
REACH	REACH: Contains No SVHCs
Other Environmental Compliance	China RoHS

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/ACDC2578-Apc-Blanking-Panel-42-48U-SX-42U-VX-Buy-p-127232.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-11 15:26:07.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.