

AP7585

Apc Rack PDU Extender, Basic, 2U, 32A, 230V, (4) IEC C19, 200V, 208V, 230V, 230V

Product Overview

APC Basic Rack PDU, Input: 200V, 208V, 230V, Input Connections: Hard Wire 3-wire, Cord Length:28 feet (8.53 meters), Output: 230V, Output Connections: IEC 320 C19. 200, 208, 230, 230, 11.00(lbs) 5.00(kilos), 6.00x 20.50x 20.50(in) 15.20x 52.10x 52.10(cent)



Specifications

Overview:

Resettable circuit breakers

Enables a quick recovery from overload events.

Rack-Mountable

Includes horizontal, vertical, and toolless-mount varieties. Puts power where it is needed most - in the racks near the equipment.

Single input power source

Supply power from one branch whip to multiple pieces of equipment, conveniently powering rack-mount equipment. Saves time and money during installation by using one branch whip and standard connections.

Wide range of input and output connections

Product family includes a variety of input and output connections to distribute 120V, 208V, or 230V power to multiple outlets. Having a variety of inputs and outputs allow users to adapt to varying power requirements. APC offers units that bring up to 14.4kW using a single branch whip.

Specifications:

ComX Computers

Product Specification Sheet

© 2015 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	AP7585
--------------	--------

Output

Nominal Output Voltage	230V
------------------------	------

Maximum Total Current Draw per Phase	32A
--------------------------------------	-----

Output Connections	(4) IEC 320 C19
--------------------	-----------------

Input

Nominal Input Voltage	200V, 208V, 230V
-----------------------	------------------

Input Frequency	50/60 Hz
-----------------	----------

Input Connections	Hard Wire 3-wire
-------------------	------------------

Cord Length	8.53 meters
-------------	-------------

Number of Power Cords	1
-----------------------	---

Maximum Input Current per phase	32A
---------------------------------	-----

Load Capacity	7360 VA
---------------	---------

Physical

Net Weight	4.09 KG
------------	---------

Maximum Height	89.00 mm
----------------	----------

Maximum Width	437.00 mm
---------------	-----------

Maximum Depth	89.00 mm
---------------	----------

Shipping Weight	5.00 KG
-----------------	---------

Shipping Height	152.00 mm
-----------------	-----------

Shipping Width	521.00 mm
----------------	-----------

Shipping Depth	521.00 mm
----------------	-----------

Color	Black
-------	-------

Environmental

Operating Environment	0 - 45 degreesC
-----------------------	-----------------

Operating Relative Humidity	0 - 95%
-----------------------------	---------

Operating Elevation	0-3000 meters
---------------------	---------------

Storage Temperature	-25 - 65 degreesC
---------------------	-------------------

Storage Relative Humidity	0 - 95%
---------------------------	---------

Storage Elevation	0-15000 meters
-------------------	----------------

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/AP7585-Apc-Rack-PDU-Extender-Basic-2U-32A-230V-4-IEC-Buy-p-126285.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-10 14:28:49.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.