AR0A0AA

HP HyperX SoloCast 2 Microphone Black

Product Overview

HP AR0A0AA HyperX SoloCast 2 Microphone Black, Cardioid Polar pattern with a single 14 mm electret Condenser capsule, Tap-to-mute functionality for instant Audio Control, Built-In internal POP Filter to reduce unwanted noise, Integrated Shock Mount suspension system for Vibration isolation, Tiltable stand Design with weighted base for stability, USB 2.0 Type-A Interface using USB-C to USB Type-A cable, 2 m cable length included in the Box











Specifications

Overview Summary:

Upgrade your audio setup with the HP HyperX SoloCast 2 Microphone, engineered specifically for gamers and content creators in South Africa who demand clarity without complexity. This sleek black USB microphone features an integrated shock mount and internal pop filter to ensure professional sound quality straight out of the box. Its compact, all-in-one design eliminates the need for extra equipment while offering a tiltable stand and versatile mounting options to fit any desk configuration.

Whether you are streaming live gameplay, recording podcasts, or joining high-stakes video calls, this microphone delivers crisp, noise-reduced audio powered by its cardioid pickup pattern. Customize your sound settings effortlessly using the HyperX NGENUITY software for a truly personalized experience. Secure your copy today and elevate your communication with crystal-clear voice capture.

Performance tier: High

Uses: Gaming, Streaming, Podcasting, Content Creation, Video Conferencing

Overview:

The HP HyperX SoloCast 2 Microphone in Black is a premium all-in-one USB microphone engineered specifically for gamers and content creators who demand professional audio quality without the complexity of external equipment. Designed with a compact, self-contained form factor, this device delivers crystal-clear sound capture right out of the box while maintaining a sleek aesthetic that fits seamlessly into any modern gaming or streaming setup. Whether you are recording high-fidelity podcasts, engaging in competitive gameplay, or hosting live streams, the SoloCast 2 ensures your voice is heard with clarity and precision.

Description:

The HyperX SoloCast 2 (Part Number AR0A0AA) combines professional-grade audio performance with user-friendly convenience. It features a built-in suspension system that acts as an internal shock mount to eliminate vibrations, ensuring pure sound without background noise. The microphone includes a custom-tuned condenser capsule and a foam pop filter to reduce plosives, while the tiltable stand allows for perfect positioning. With onboard controls via HyperX NGENUITY Software, users can customize audio filters effortlessly, making it the ideal choice for those seeking high-quality sound in a plug-and-play package.

Features:

Engineered for Superior Sound Quality
This microphone is designed to capture your voice clearly while minimizing unwanted background noise. The internal suspension system provides shock mount benefits within a compact design, effectively reducing vibrations from desk bumps and keyboard typing. A built-in foam pop filter further refines the audio by softening plosive sounds, ensuring that every word is crisp and professional without the need for additional accessories.

The unit utilizes a high-quality 14 mm electret condenser capsule with a cardioid polar pattern to focus on your voice while rejecting sound from the sides and rear. This directional sensitivity ensures that your microphone picks up exactly what you say, even in busy environments. The tap-to-mute function allows for instant silence when needed, giving you full control over your audio output at the touch of a button.

Seamless Integration with Your Setup
The SoloCast 2 is built to fit any gaming or streaming environment with its versatile mounting options and adjustable design. The weighted base provides excellent stability, while the tiltable stand allows you to angle the microphone perfectly toward your mouth for optimal sound capture. For users who wish to expand their setup later, the microphone includes built-in 3/8 in. and 5/8 in. threads that allow easy mounting to compatible mic arms.

Connectivity is handled via a durable USB-C to USB-A cable with a length of 2 meters, providing ample reach for most desk configurations. The device supports the UAC-1 audio format over a USB 2.0 Type-A connection and operates at low power consumption, making it compatible with PCs without requiring additional drivers or complex installations.

Key Specifications

- Microphone Type: Tap-to-mute cardioid condenser capsule
- Capsule Size: 14 mm electret
- Polar Pattern: Cardioid for focused sound capture
- Sensitivity: -7.8 +/-3 dB (1 V/Pa at 1 kHz)
- Power Requirements: 5V 27 +/-5 mA
- Cable Length: 2 meters USB-C to USB-A
- Audio Format: UAC-1 compatible
- Sampling Rates: Supports 96 kHz, 48 kHz, and 44.1 kHz
- Bit Depth: 24-bit and 16-bit support
- Noise Floor: <= -79.5 dBFS (A-weighted)
- Weight: 368 g for stable desktop use
- Package Dimensions: 7.6 x 7.6 x 19.2 cm

What's in the box

- HyperX SoloCast 2 Microphone
- USB-C to USB-A Cable
- Quick Start Guide

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications	
Product Code	AR0A0AA

Compatibility	PC
Color	Black
Sensitivity (microphone)	-7.8+/-3 dB (1 V/Pa at 1 kHz)
Power consumption	5V 27+/-5 mA
Cable length	2 m
USB audio format	UAC-1
USB specification	USB 2.0 Type-A
Microphone type	Tap-to-mute
Noise (RMS) (microphone)	<=-79.5 dBFS (A-weighted)
Polar pattern	Cardioid
Element	One 14 mm electret condenser capsule
Bit-depth	24-bit , 16-bit
Sampling rates	96 kHz , 48 kHz , 44.1 kHz
Package dimensions (W x D x H)	7.6 x 7.6 x 19.2 cm
Weight	368 g
Package weight	.494 gr
What's in the box	HyperX SoloCast 2 Microphone, USB-C to USB-A Cable, Quick Start Guide

FAQ

Is the HyperX SoloCast 2 compatible with my PC setup?
Yes, this microphone is designed for use with PC and features a plug-and-play USB connection that supports UAC-1 audio format.

How do I mute the microphone during calls or gaming?
You can quickly silence the mic using the built-in tap-to-mute feature located on the device, which is ideal for quick pauses without navigating software menus.

Does this microphone require external cables or mounting hardware to work?
No, it comes as an all-in-one solution that includes a tiltable stand with a weighted base and a foam pop filter. The package also includes a 2-meter USB-C to USB-A cable for immediate use.

Can I adjust the microphone's position or mount it on a separate arm?
The mic features a tilt-adjustable design for custom angles, and its base includes both 3/8 in. and 5/8 in. threads to easily attach it to compatible microphone arms if you need added versatility.

How can I customize the sound settings beyond the default configuration?
You can use the HyperX NGENUITY Software to access onboard filters and adjust your audio preferences for a personalized sound profile tailored to your needs.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx.co.za/AR0A0AA-HP-HyperX-SoloCast-2-Microphone-Black-p-342487.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx.co.za/terms-of-use.php
Terms of Sale: https://www.comx.co.za/terms-of-sale.php

PDF generated: 2026-11-21 00:03:57.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.