


CAM-NVR-NVR1004H-4P

TP-Link Vigi NVR 4ch PoE+ Network Video Recorder

Product Overview

TP-Link Vigi NVR 4ch PoE+ Network Video Recorder, 80 Mbps incoming bandwidth, 4-channel IP Video Input up to 8MP Resolution, 1x HDMI, 1x VGA, H.265+ / H.265 / H.264+ / H.264 decoding Format, 4 channel synchronous playback, 1x SATA Interface up to 10 TB, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0



Simplified Deployment with PoE+



Specifications

Overview:

VIGI NVR1004H-4P - VIGI 4 Channel PoE+ Network Video Recorder

- 4K HDMI Video Output & 16MP Decoding Capacity: Sharp image definition up to 8MP and a 4-channel display ensures you capture every detail, from every angle .
- Simplified Deployment with PoE+ : Easily connect and power your PoE camera with one RJ45 cable transmitting both data and power. No power adapter needed.
- 4-Channel Simultaneous Playback : Replay the feed from up to 4 cameras at the same time, increase replay speed, and find events in the video schedule to easily review footage.
- H.265+ : Without using any extra bandwidth, your camera transmits compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.
- ONVIF Ensures Compatibility : Easily add IPCs from VIGI and other brands to establish a powerful and varied network thanks to barrier-free compatibility.

ComX Computers

Product Specification Sheet

- Plug & Play: Allows new and unused VIGI IP Cameras to be added automatically to the new NVR and activated instantly, making installation faster than ever before.
- 24/7 Continuous Recording: Stores up to 10 TB of footage from connected cameras to secure your data for quick, convenient access.
- Remote Monitoring: The dedicated VIGI app and VIGI Security Manager enable remote monitoring, providing ease and convenience.
- Two-Way Audio: With voice intercom support, carry two-way conversations while watching your feed from anywhere. Suitable for management.
- 80 Mbps Video Access Bandwidth: High video access bandwidth ensures your NVR manages more cameras with high resolution. Based on laboratory testing using VIGI cameras, VIGI NVR can manage up to four 4MP cameras.

Features:

4K HDMI Video Output & 16MP Decoding Capacity

Sharp image definition up to 8MP and a 4-channel display ensures you capture every detail, from every angle .

Dedicated 4 PoE+ ports (53 W budget) for simplified IP camera deployment .

Features 4x 10/100Mbps PoE+ ports, the NVR supports up to 30 W on each PoE+ port. Designed to use a single Ethernet cable for both data and power transmission, it offers flexible installation to fit in various surveillance scenarios for small businesses, such as groceries, warehouses, restaurants, and financial institutions.

4-Channel Simultaneous Playback

Replay the feed from up to 4 cameras at the same time, increase replay speed, and find events in the video schedule to easily review footage.

More compression. More savings. Same quality.

Without using any extra bandwidth, your cameras transmit compressed crystal-clear video to save disk space, ease network loads, and reduce monitoring costs without sacrificing image quality.

ONVIF Ensures Compatibility

Easily add IPCs from VIGI and other brands to establish a powerful and varied network thanks to barrier-free compatibility .

Plug & Play.

Allows new and unused VIGI IP Cameras to be added automatically to the new NVR and activated instantly, making installation faster than ever before.

24/7 Continuous Recording

Stores up to 10 TB of footage from managed cameras to secure your data for quick, convenient access.

Remote Monitoring

The dedicated VIGI app, web UI, and VIGI Security Manager enable remote monitoring, providing ease and convenience.

Two-Way Audio

With voice intercom support, carry two-way conversations while watching your feed from anywhere. Suitable for management.

80 Mbps Video Access Bandwidth

High video access bandwidth ensures your NVR manages cameras with high resolutions. Based on laboratory testing using VIGI cameras, VIGI NVR can manage up to four HD cameras.

Run your business with peace of mind.

The VIGI professional surveillance system by TP-Link is dedicated to protecting the business youve worked hard to build - whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

ComX Computers

Product Specification Sheet

Specifications	
Product Code	CAM-NVR-NVR1004H-4P
NETWORK	
Protocol	TCP/IP, DHCP, DNS, NTP, UPnP
Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
GENERAL	
Package Contents	VIGI Network Video Recorder
	Power Adapter
	HDD Screws
	Mouse
	Quick Installation Guide
Operating Temperature	-10-55 degreesC
Dimensions(W X D X H)	246.2 x 148.2 x 45 mm
External Power Supply	53.5V DC/1.31A
Power Consumption	4.25 W (without disk)
VIDEO/IMAGE	
Video Input	4-Channel IP Video Input, up to 8MP Resolution
Recording Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF /
	DCIF/2CIF/CIF/QCIF
HDMI Output Resolution	1 Channel, Resolution: 3840x2160/30Hz, 1920x1080/60Hz
	1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz
	1024x768/60Hz, 1280x720/60Hz
VGA Output Resolution	1 Channel, Resolution: 1920x1080/60Hz, 1680x1050/60Hz
	1440x900/60Hz, 1280x1024/60Hz, 1024x768/60Hz
	1280x720/60Hz
DECODING	
Decoding Format	H.265+/H.265/ H.264+/H.264
Live View/Playback Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF /
	DCIF/2CIF/CIF/QCIF
Synchronous Playback	4 Channel
Capability	2-ch @ 8MP, 4-ch @ 4MP
HARD DISK	
SATA	1 SATA Interface
Capacity	Up to 10 TB
INTERFACES	
Network Interface	1 RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface

ComX Computers

Product Specification Sheet

USB Interface	2 x USB 2.0
---------------	-------------

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/CAM-NVR-NVR1004H-4P-TP-Link-Vigi-NVR-4ch-PoE-Network-Buy-p-283624.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 05:31:10.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.