

CL-P064-AL12SW-A

Thermaltake UX100 ARGB Lighting CPU cooler

Product Overview

Thermaltake UX100 ARGB Lighting CPU cooler, Supports Intel LGA 1156 / 1155 / 1151 / 1150 / 775 & AMD AM4 / FM2 / FM1 / AM3 + / AM3 / AM2 + / AM2, Aluminum fins heatsink material, 1800 RPM fan speed, 5V RGB Header - 2 pin



Specifications

Overview:

UX100 ARGB Lighting CPU Cooler

Thermaltake UX100 ARGB Lighting CPU Cooler features 9-high air flow blade, hydraulic bearing, and 16.8 million colors of 15 ARGB LEDs that is ready to sync 5V RGB enabled motherboards from ASUS, ASRock, GIGABYTE and MSI. Switching the customized lighting effect easily and get the ultimate gaming experience.

Features:

16.8 M TRUE RGB COLOR

Featuring 15 high lumen addressable LEDs with 16.8 million colors, UX100 gives you the vivid RGB lighting experience. Enjoy the reliable cooling performance and magnificent visual effect with UX100.

SYNC WITH MOTHERBOARD RGB SOFTWARE

Designed to synchronize with ASUS Aura Sync, ASRock RGB LED, GIGABYTE RGB Fusion and MSI Mystic Light Sync. UX100 supports motherboards that have a 5V addressable RGB header, allowing you to control the lights directly.

*Caution: the motherboard signal connector only supports 5V header.

HIGH VOLUME AIRFLOW DESIGN

The fan blades are built to generate a large volume of air passing through the aluminum heatsink at any angle for the steady air flow and cooling quality.

RELIABLE HYDRAULIC BEARING

The hydraulic bearing self-lubricates with a high quality, friction-reducing substance that lowers operation noise and enhance thermal efficiency. The seal cap prevents leakage of the lubricant and extends the lifespan of the unit.

EASY TO INSTALL

The mounting kit offers hassle-free installation. UX100 includes all-in-one back-plate is compatible with all the latest Intel and AMD CPU socket.

Intel: LGA 1156/1155/1151/1150/775

AMD: AM4/AM3+/AM3/AM2+/AM2/FM2/FM1

Specifications:

© 2019 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	CL-P064-AL12SW-A
P/N	CL-P064-AL12SW-A
Compatibility	Intel LGA 1156 / 1155 / 1151 / 1150 / 775
	AMD AM4 / FM2 / FM1 / AM3+ / AM3 / AM2+ / AM2
Dimension	122.3 x 122.3 x 66.1 mm(L x W x H)
Heatsink Material	Aluminum Fins

ComX Computers

Product Specification Sheet

Fan Dimension	120 x 120 x 25 mm(L x W x H)
Fan quantity	1pcs
Fan Speed	1800 RPM
Rated Voltage	12V
Start Voltage	6.0 V
Rated Current	0.35 A
Power Input	4.2 W
Air Flow	38.82 CFM
Air Pressure	1.48 mm-H2O
Acoustical Noise	26.92 dBA
Life time/Fan Life time	30,000 hours
pin connect	5V RGB header - 2Pin
	2510 - 3Pin
Cooling Power	65 W

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/CL-P064-AL12SW-A-Thermaltake-UX100-ARGB-Lighting-CPU-Buy-p-227954.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-24 00:37:53.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.