

CMF465DW

Canon i-SENSYS MF465dw 4-in-1 mono Laser Printer, Print, Copy, Scan, Fax, Duplex, USB, LAN, Wifi

Product Overview

Canon i-SENSYS MF465dw 4-in-1 mono Laser Printer, Print, Copy, Scan, Fax, Duplex, Up to 40 ppm print speed, Up to 1200 x 1200 dpi print Resolution, 45 PCL fonts, 136 PostScript fonts, Secure print, iOS AirPrint, Android Mopria Certified, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Optical Scan Resolution, 250-sheet Cassette paper Input, 100-sheet Multi-Purpose tray, 50-sheet ADF, 150-sheet paper Output, USB 2.0 Hi-Speed, Gigabit LAN, WiFi, 12.7 cm LCD Colour Touch Screen



Specifications

Overview:

Canon i-SENSYS MF460 Series

Enjoy robust security and high-speed, high-quality printing and scanning with multi-functional black and white laser printers in the i-SENSYS MF460 Series.

- 36-40ppmPrint speed
- CloudPrint & Scan connectivity
- 12.7cmColour touch screen
- 360 degreesRobust security

Streamline workflows and accelerate efficiency

Empower your workforce to save valuable time and boost productivity with the i-SENSYS MF460 Series. Experience speedy printing and scanning and easily protect your devices from hacking and virus threats.

Features:

Protect documents

360-degree security ensures complete document, device and network security. Security features include TLS1.3, Verify System at Startup and secure PIN printing.

Intuitive user experience

Easily carry out print and scanning jobs with one-touch buttons. Drag & drop icons help customise the display screen and allow you to perform routine tasks smoothly.

Boost productivity

Save valuable time with print speeds of up to 40ppm, scanning speeds of up to 100ipm and a warm-up time of 14 seconds. Manage your printer using Universal Print from Microsoft.

Collaborate in the cloud

Harness the power of the cloud with built-in connectivity to cloud storage services including Google Drive, DropBox, and OneDrive.

Save space

A compact design helps you easily place devices on desktops or counters, maximising office space as a result.

Mobile printing

Conveniently print documents from your smartphone or tablet with the Canon PRINT Business app, or via AirPrint (iOS) and Mopria (Android).

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	CMF465DW
General Specifications	
Machine Type	Mono Laser All-In-One
Available Functions	Print, Copy, Scan and Fax
Print Specifications	
Print Speed	Single sided : Up to 40 ppm (A4), Up to 65.4 ppm(A5-Landscape)
	Double sided : Up to 33.6 ipm (A4)
Printing Method	Monochrome laser beam printing
Print Resolution	Up to 1200 x 1200 dpi
Warm-up Time	Approx. 14 seconds or less from power on
First-Print-Out Time	Approx: 5.0 seconds or less
Printer Languages	UFR II, PCL 5e, PCL6, Adobe PostScript3
Fonts	45 PCL fonts
	136 PostScript fonts
Print Margins	5 mm-top, bottom, left and right
	10 mm-top, bottom, left and right (Envelope)
Toner Saver Mode	Yes
Advanced Printing Features	Encrypted Secure Print
	Secure Print
	Print from USB memory key (JPEG/TIFF/PDF)
	Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG)
	Microsoft Universal Print
	iOS: AirPrint, Canon PRINT Business app
	Android, Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in
Copy Specifications	

ComX Computers

Product Specification Sheet

Copy Speed	Single sided (A4): Up to 40 ppm
	Double sided (A4): Up to 33.6 ipm
First-Copy-Out Time	Approx. 6.1 seconds or less
Copy Resolution	Up to 600 x 600 dpi
Copy Modes	Text, Text/Photo (Default), Text/Photo (High Quality), Photo
Double Sided Copying	2-sided to 2-sided (Automatic)
Multiple Copies	Up to 999 copies
Reduction / Enlargement	25-400% in 1% increments
Other Features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy
Scan Specifications	
Standard Type	Colour
Scan Resolution	Optical: Up to 600 x 600 dpi
	Enhanced: Up to 9600 x 9600 dpi
Scan Speed	Single sided mono: 50ipm (300x300dpi)
	Single sided colour: 40ipm (300x300dpi)
	Double sided mono: 100ipm (300x300dpi)
	Double sided colour: 80ipm (300x300dpi)
	Single sided mono: 40ipm (300x600dpi)
	Single sided colour: 20ipm (300x600dpi)
	Double sided mono: 80ipm (300x600dpi)
	Double sided colour: 40ipm (300x600dpi)
Colour Scanning Depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN, WIA, ICA
Maximum Scan Width	216mm
Scan to E-mail	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to PC	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to USB Memory Key	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to FTP	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to Cloud	TIFF/JPEG/PDF/PNG
iFAX	ITU-T.37
Fax Specifications	
Modem Speed	33.6 Kbps (Up to 3 seconds/page)
Receive Mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

ComX Computers

Product Specification Sheet

Fax Resolution	Standard: 200 x 100 dpi
	Fine: 200 x 200 dpi
	Super fine: 200 x 400 dpi
	Ultra fine: 400 x 400 dpi
Fax Memory	Up to 512 pages
Speed Dials	Up to 281 dials
Group Dials/Destinations	Max. 299 dials / Max. 299 destinations
Sequential Broadcast	Max. 310 destinations
Memory Backup	Permanent fax memory backup (Backup with flash memory)
Double Sided Faxing	Yes (Transmit and Receive)
Other Features	Sender's Name (TTI), Direct Send, TX Report, Sequential Broadcasting
Media Handling	
Scanner Type	Platen, 2-sided ADF (single pass)
Paper Input (Standard)	250-sheet cassette
	100-sheet multi-purpose tray
	50-sheet ADF
Paper Input (Option)	550-sheet cassette
Maximum Paper Input Capacity	900 sheets
Paper Output	150-sheet
Media Types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope
Media Sizes	Cassette (Standard and optional):
	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.
	Multi-purpose tray:
	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.
	ADF:
	A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 48 x 85.0 mm Max 216 x 355.6 mm
Media Weights	Cassette (standard and optional): 60 to 120 g/m ²
	Multi-purpose tray: 60 to 199 g/m ²
	ADF: 60 to 120 g/m ²
Double Sided Printing	A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, GLGL, Foolscap
	Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm
	60 to 120 g/m ²
Interface & Software	

ComX Computers

Product Specification Sheet

Interface Type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Operating System Compatibility	Windows 11 / Windows 10 / Server 2022 / Server 2019 / Server 2016 / Server 2012R2 / Server 2012
	Mac OS X version 10.13 & up
	Linux
Network Protocol	Print:
	TCP/IP (LPD/Port9100/IPP/IPPS/WSD)
	Scan:
	Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)
	E-mail/I-Fax: SMTP (send), POP3 (receive)
	Pull Scan: TCP/IP
	Management:
	SNMPv1, SNMPv3 (IPv4, IPv6)
	Security:
	TLS1.3, IPsec, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
	Security (wireless):
	Infrastructure Mode:
	WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES)
	Access Point Mode:
	WPA2-PSK(AES)
Software and Printer Management	MF Scan Utility
	Remote User Interface (RUI)
	Department ID Management
	Toner Status Tool
	iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices
	eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics
	Application Library
General Features	
Recommended Monthly Print Volume	750 - 4,000 pages per month
Duty Cycle	Max. 80,000 pages per month
Processor Speed	1200MHz
Memory	1GB
Storage	4GB eMMC
Control Panel	12.7 cm LCD Colour Touch Screen

ComX Computers

Product Specification Sheet

Dimensions with Trays (W x D x H)	420 mm x 460 mm x 375 mm
Installation Space (W x D x H)	689 mm x 1,081 mm x 824 mm
Weight	Approx. 16.3 Kg
Operating Environment	Temperature: 10 to 30°C (50 to 86°F)
	Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V(+/-10%) 50/60Hz (+/-2Hz)
Power Consumption	Maximum: Approx. 1,280 W
	Active printing: Approx. 480W
	Standby: Approx. 8 W
	Sleep mode: Approx. 0.9 W
	Typical Electricity Consumption (TEC): 0.32 kWh/week (230V)
Noise Levels	Sound Pressure:
	Active: 53dB
	Standby: Inaudible
	Sound Power:
	Active: Duplex 68dB / Simplex 67dB
	Standby: Inaudible
Consumables	
Cartridges	Cartridge 070 (3,000 pages)
	Cartridge 070H (10,200 pages)
Accessories & Options	
Items	CST.Feeding Module-AH1 (550-sheet cassette)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/CMF465DW-Canon-i-SENSYS-MF465dw-4-in-1-mono-Laser-Printer-Buy-p-294294.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-13 04:27:28.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.