

CW-9061023-WW

Corsair iCUE Link Titan 360 RX LCD AIO - 360mm radiator - Liquid CPU Cooler

Product Overview

Corsair iCUE Link Titan 360 RX LCD AIO - 360mm radiator - Liquid CPU Cooler, RGB Lighting, 3 fans, Copper Cold plate material, Aluminum radiator material, 120mm x 25mm fan dimensions, Cooling Socket support - Intel 1851 / Intel 1700 / AMD AM5 / AMD AM4, 300 - 2100 rpm fan Speed, 10.4 - 73.5 CFM fan Airflow, 360mm radiator size, 450mm tubing length, Digital fan control Method





Specifications

Overview Summary:

Upgrade your PC cooling with the Corsair iCUE Link Titan 360 RX LCD Liquid CPU Cooler, now available for delivery across South Africa. This premium all-in-one solution features a stunning custom IPS LCD screen and dynamic RGB lighting to bring your build to life while delivering exceptional thermal performance for Intel and AMD processors.

Designed with advanced FlowDrive technology, this cooler ensures peak efficiency and whisper-quiet operation even under heavy loads. The modular CapSwap design lets you customize the look of your pump in seconds without tools, making it a perfect choice for enthusiasts who value both aesthetics and functionality. Secure your system's performance today.

Don't wait to optimize your hardware; buy now and experience the ultimate cooling solution tailored for high-end gaming and workstation setups.

Performance tier:High

Uses:PC cooling, Gaming builds, Workstation thermal management, CPU temperature control, Custom RGB lighting displays

Overview:

The CORSAIR iCUE LINK TITAN RX LCD Liquid CPU Cooler redefines high-performance cooling by combining cutting-edge thermal engineering with stunning visual customization. Designed for enthusiasts who demand the best, this 360mm all-in-one cooler delivers exceptional heat dissipation while maintaining whisper-quiet operation through its advanced FlowDrive pump and optimized fan blades.

Description:

This premium liquid cooling solution features a vibrant 2.1-inch IPS LCD screen for real-time system monitoring or custom animations, including full GIPHY integration for personalization. The cooler utilizes an efficient iCUE LINK hub for streamlined connectivity and includes CapSwap modular design capabilities that allow users to swap pump caps without tools. With pre-applied CORSAIR XTM70 Extreme Performance Thermal Paste and support for the latest Intel and AMD platforms, this unit ensures peak thermal performance and easy installation.

At the heart of the cooler lies a custom three-phase motor pump designed by CORSAIR engineers to deliver high flow rates with minimal noise. The precision-engineered copper cold plate maximizes contact surface area on your CPU's integrated heat spreader, ensuring rapid heat transfer away from critical components. Whether you are running high-end gaming rigs or

workstation builds, the TITAN RX LCD provides the stability required for demanding tasks.

Customization is effortless with the iCUE software suite, allowing you to control 16.7 million colors across the pump and three included RGB fans. The detachable side plates on each fan offer a choice between a translucent window or the CORSAIR wordmark, adding a unique touch to your build aesthetics. Part number CW-9061023-WW ensures compatibility with the latest hardware standards.

Features:

Key Specifications

- Radiator Size: 360mm (Dimensions: 396mm x 120mm x 27mm)
- Cooling Socket Support: Intel LGA 1851, Intel 1700, AMD AM5, AMD AM4
- Fan Dimensions: 120mm x 25mm with 3 included fans
- FlowDrive Pump: Three-phase motor for high flow and low noise
- LCD Display: Custom 2.1" 480x480 IPS screen with GIPHY integration
- Fan Speed Range: 300 to 2100 RPM (Digital Control)
- Airflow Performance: 10.4 - 73.5 CFM
- Lighting: RGB on pump and fans with individually addressable LEDs
- Tubing Length: 450mm Black Sleeved Low-Permeation Rubber
- Cold Plate Material: Copper with optimized surface profile
- Radiator Material: High-efficiency Aluminum
- Weight: 2.59 kg

Installation and Compatibility

The unit comes equipped with mounting brackets and backplates specifically designed for modern processor sockets, ensuring a secure fit on both Intel Core i9, i7, i5, i3, Pentium, Celeron processors and AMD Ryzen CPUs. The installation process is streamlined to reduce complexity, making it accessible even for builders who are new to liquid cooling solutions.

Visual Customization

Achieve the look you desire with the CapSwap modular design, which allows you to change the pump cap style in seconds without tools. Each of the three RX RGB fans features eight individually addressable LEDs and comes with a pair of decorative side plates. You can choose between a translucent window design or the classic CORSAIR wordmark to perfectly match your system theme.

What's in the box

- CORSAIR iCUE LINK TITAN RX LCD AIO Cooler
- 3 x iCUE LINK RX RGB Fans (120mm)
- iCUE LINK Hub and Controller Cables
- Mounting Brackets and Backplates for Intel and AMD
- CORSAIR XTM70 Extreme Performance Thermal Paste (Pre-applied)
- Detachable Fan Side Plates (Translucent Window and CORSAIR Wordmark)

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	CW-9061023-WW

ComX Computers

Product Specification Sheet

Product Length	396
Product Width	125
Product Height	125
Lighting	RGB
Radiator Dimensions	396mm x 120mm x 27mm
Number of Fans	3
Cold Plate Material	Copper
Radiator Material	Aluminum
Fan Dimensions	120mm x 25mm
Cooling Socket Support	Intel 1851, Intel 1700, AMD AM5, AMD AM4
Fan Speed	300 - 2100 RPM +/-10%
Fan Airflow	10.4 - 73.5 CFM
Fan Static Pressure	0.12 - 4.33mm-H2O
Noise Level	10 - 36 dBA
Radiator Size	360mm
Tubing Length	450mm
Tubing Material	Black Sleeved Low-Permeation Rubber
Fan Control Method	Digital
AMD Processors Supported	Ryzen
Intel Processors Supported	Core i9, i7, i5, i3, Pentium, Celeron
PWM	No
Weight	2.59

FAQ

Does this cooler support my specific CPU socket?

The CORSAIR iCUE LINK TITAN RX LCD supports Intel LGA 1851 and 1700 sockets, as well as AMD AM5 and AM4 platforms for Ryzen processors.

Can I customize the display on the pump head?

Yes, the built-in 2.1" IPS LCD screen allows you to choose from 16.7 million colors, select pre-defined animations or data displays, and access thousands of GIPHY memes via iCUE software.

Is installation difficult for beginners?

No, it features a streamlined setup with included mounting brackets and backplates designed for fast installation on supported Intel and AMD CPUs without requiring complex tools.

Can I change the appearance of the pump cap later?

Absolutely, the CapSwap modular design allows you to switch the default pump cap with other modules sold separately in seconds, completely tool-free.

What are the physical dimensions and fan specifications?

This is a 360mm AIO cooler featuring three 120mm x 25mm fans with digital control. The total product length is 396mm, width

ComX Computers

Product Specification Sheet

is 125mm, and height is 125mm.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/CW-9061023-WW-Corsair-iCUE-Link-Titan-360-RX-LCD-AIO-Buy-p-341152.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-08 18:13:14.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.