

DS-7104HQHI-K1

Hikvision 4-ch 1080p Mini 1U H.265 DVR with sound

Product Overview

Hikvision 4-ch 1080p Mini 1U H.265 DVR with sound, H.265 Pro+ / H.265 Pro / H.265 / H.264+ / H.264 Video Compression, 1-ch IP Video Input, Up to 6 MP Resolution, 4-ch Analog Video Input, BNC Interface, HDTVI Input, AHD Input, HDCVI Input, CVBS Input, HDMI Output, VGA Output, 1-ch RCA audio Input, 4-ch via Coaxial Cable audio Input, 1-ch, RCA audio Output, 1-ch RCA Two-Way audio, 4-ch synchronous playback, 1, RJ45 10M/100M Self-Adaptive Ethernet Interface, 1 SATA Interface up to 6 TB capacity



Specifications

Overview:

DS-7104HQHI-K1 - 4-ch 1080p Mini 1U H.265 DVR

- 4 channels and 1 HDD mini size DVR
- Efficient H.265 pro+ compression technology
- Encoding ability up to 1080p @ 15 fps
- 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP)
- Up to 6 network cameras can be connected

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	DS-7104HQHI-K1
Recording	
Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264

ComX Computers

Product Specification Sheet

Encoding Resolution	When 1080p Lite mode is not enabled:
	4 MP lite / 3 MP / 1080p / 720p / VGA / WD1 / 4CIF / CIF
	When 1080p Lite mode is enabled:
	4 MP lite / 3 MP / 1080p lite / 720p lite / VGA / WD1 / 4CIF / CIF
Frame Rate	Main stream:
	When 1080p Lite mode is not enabled:
	For 4 MP stream access:
	4 MP lite@15fps, 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N)
	For 3 MP stream access: 3 MP/1080p/720p/VGA/WD1/4CIF/CIF@15fps
	For 1080p stream access:
	1080p/720p@15fps, VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)
	For 720p stream access: 720p/VGA/WD1/4CIF/CIF@25fps (P)/30fps (N)
	When 1080p Lite mode is enabled:
	4 MP lite / 3 MP@15fps, 1080p lite / 720p lite / VGA / WD1 / 4CIF / CIF@25fps (P) / 30fps (N)
	Sub-stream:
	WD1/4CIF@12fps, CIF@25fps (P)/30fps (N)
Video Bitrate	32 Kbps to 6 Mbps
Dual-stream	Support
Stream Type	Video, Video & Audio
Audio Compression	G.711u
Audio Bitrate	64 Kbps
Video and Audio	
IP Video Input	1-ch (up to 5-ch)
	Enhanced IP mode on:
	2-ch (up to 6-ch), each up to 4 Mbps
	Up to 6 MP resolution
	Support H.265+/H.265/H.264+/H.264 IP cameras
Incoming Bandwidth	24 Mbps
Analog Video Input	4-ch
	BNC interface (1.0 Vp-p, 75 ohm), supporting coaxitron connection
HDTVI Input	4 MP, 3 MP, 1080p25, 1080p30, 720p25, 720p30, 720p50, 720p60
	*: The 3 MP signal input is only available for channel 1 of DS-7104HQHI-K1.
AHD Input	4 MP, 1080p25, 1080p30, 720p25, 720p30
HDCVI Input	4 MP, 1080p25, 1080p30, 720p25, 720p30
CVBS Input	Support
VGA Output	1-ch, 1920 x 1080/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz
HDMI Output	1-ch, 1920 x 1080/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz

ComX Computers

Product Specification Sheet

Audio Input	1-ch, RCA (2.0 Vp-p, 1 Kohm)
	4-ch via coaxial cable
Audio Output	1-ch, RCA (Linear, 1 Kohm)
Two-Way Audio	1-ch, RCA (2.0 Vp-p, 1 Kohm) (using the first audio input)
Synchronous Playback	4-ch
Network	
Total Bandwidth	72 Mbps
Remote Connection	32
Network Protocol	TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP, HTTPS, ONVIF
Network Interface	1, RJ45 10M/100M self-adaptive Ethernet interface
Auxiliary Interface	
SATA	1 SATA interface
Capacity	Up to 6 TB capacity for each disk
Alarm In/Out	N/A
USB Interface	Real panel: 2 x USB 2.0
General	
Power Supply	12 VDC, 1.5 A
Consumption	<= 8 W
Working Temperature	-10 degreesC to +55 degreesC (+14 degreesF to +131 degreesF)
Working Humidity	10% to 90%
Dimension (W x D x H)	200 x 200 x 45 mm (7.9 x 7.9 x 1.8 inch)
	<= 1 kg (2.2 lb)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/DS-7104HQHI-K1-Hikvision-4-ch-1080p-Mini-1U-H-265-DVR-Buy-p-311044.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-17 04:36:11.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.