

DS-K2622X

Hikvision DS-K2622X Pro Series two-door Access Controller

Product Overview

Hikvision DS-K2622X Pro Series two-door Access Controller, 1x 10/100 Ethernet self adaptive Wired Network, 2 lock control, 2 Exit Button, 2 Door contact Input, 4 Alarm Input, 4 Alarm Output, 2 for Card Reader RS-485, 4 Wiegand, 2 linked Door capacity



Specifications

Overview Summary:

The Hikvision DS-K2622X Pro Series two-door access controller is designed to provide reliable and secure access management for offices, commercial buildings, and residential complexes in South Africa. It supports 2-door control, multiple card reader formats including OSDP and Wiegand, and advanced encryption protocols like AES256 and RSA2048 for enhanced security. Configurations can be easily managed via a web browser, making setup and maintenance simple and convenient. Shop now to upgrade your access control system and protect your premises effectively.

With versatile alarm inputs and outputs, exit buttons, and tamper detection, the DS-K2622X ensures comprehensive security coverage. Its professional features, including multi-door interlocking and anti-passback, make it suitable for complex access control scenarios. Buy now to enhance security with a reliable, easy-to-manage access controller.

Performance tier:Professional

Uses:Office security, commercial building access control, residential complex entry management, multi-door interlocking, alarm integration

Overview:

Hikvision DS-K2622X Pro Series Two-Door Access Controller

The Hikvision DS-K2622X Pro Series is a robust access control solution designed for professional environments requiring secure and efficient door management. Engineered to handle two doors simultaneously, this controller offers seamless network connectivity, advanced encryption, and versatile compatibility with third-party card readers. Its intuitive web-based configuration and comprehensive status indicators make it easy to monitor and manage security systems without additional software. Ideal for offices, commercial buildings, and high-security areas, the DS-K2622X ensures reliable access control with professional-grade functionality.

Description:

The DS-K2622X combines advanced access control technology with user-friendly management tools. It supports IPv4, IPv6, and DHCP networking, providing flexibility in system integration. Security is strengthened with AES256, RSA2048, and TLS 1.2 encryption, while OSDP and multiple Wiegand formats allow connections to a wide range of third-party card readers. Key functionalities include multi-door interlocking, anti-passback, and support for backup battery access, ensuring continuity during power interruptions. Status indicators for power, communication, and operation simplify system monitoring. The controller efficiently manages two doors, each with lock control, exit buttons, door contacts, alarm inputs and outputs, and linked door capacity for synchronized operation.

Features:

Connectivity and Performance

Equipped with a 10/100 Ethernet self-adaptive port, the controller ensures stable network communication. It accommodates two RS-485 card reader connections and four Wiegand interfaces, allowing integration with existing access systems. Four alarm inputs and outputs provide enhanced security monitoring, while linked door functionality enables professional access control setups.

Professional Access Management

The DS-K2622X supports a variety of professional applications: multi-door interlocking prevents unauthorized simultaneous door openings, and anti-passback ensures secure entry and exit management. Its web configuration feature allows administrators to manage all settings directly from a browser, eliminating the need for specialized software.

Physical and Operational Capabilities

- Controls up to two doors with independent lock and exit button management
- Supports various third-party card readers via OSDP and Wiegand connections
- Four alarm inputs and outputs for advanced security monitoring
- Real-time status indicators for power, communication, and operational health
- Backup battery support for uninterrupted access control

Available Model

- DS-K2622X

The DS-K2622X Pro Series access controller combines advanced security, flexible connectivity, and professional access management in a compact, reliable design suitable for demanding environments.

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	DS-K2622X
---------------------	-----------

Network

Wired network	10/100 Mbps self adaptive
----------------------	---------------------------

Interface

Network interface	1
Lock control	2
Exit button	2
Door contact input	2
Alarm input	4
Alarm output	4
TAMPER	1
RS-485	2 for card reader (1 for communication, 1 for redundancy , each interface can connect up to 4 readers)
Wiegand	4, standard 26/34 input, supports custom Wiegand settings
Fire interface	Support

Capacity

Linked door capacity	2
Linked card reader capacity	4 RS-485 card readers (OSDP protocol) and 4 Wiegand card readers

General

Power supply	100 VAC to 240 VAC
Battery	Charge and discharge
Power consumption	<= 72 W
Working temperature	-10 degreesC to 55 degreesC (14 degreesF to 131 degrees F)

ComX Computers

Product Specification Sheet

Working humidity	0% to 90% (No condensing)
Installation	Wall mounting
Language	English, Thai, Traditional Chinese, Indonesian, Vietnamese, Arabic, Spanish (Europe), Spanish (South America), Italian, French, Dutch, Russian, Ukrainian, Portuguese (Europe), Portuguese (Brazil), Serbian, Croatian, Bulgarian, German, Greek, Romanian and Turkish
Function	
Configuration via Web browser	Support
Multi-factor authentication	Support
Anti-passback	Support
Multi-door interlocking	Support

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/DS-K2622X-Hikvision-DS-K2622X-Pro-Series-two-door-Access-Buy-p-340580.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-07 19:22:15.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.