ComX Computers
Product Specification Sheet

L300 Stock clearance special

NComputing 1-User

Product Overview

NComputing 1-User Kit with vSpace S/ware and Ethernet-based connection to PC, Device has cable, stereo output, mic input, USB keyboard and mouse, plus 2 x USB 2.0 ports, 1920 x 1080 wide, full motion video, Maximum 31-user (30+ PC) on standard Ethernet network. What is the NComputing L300 virtual client? It allows an addititonal user to share a single computer's hardware and operating system through a network! One PC or server can have up to 30 additional users with their own monitor, keyboard, mouse, speakers, USB devicesm files and applications at a fraction of the cost. When the master PC is updated (hardware or software), all the clients benefit. The best part? It is very green, the power consumption is less than 5Watts per client!

Specifications

Overview:

The NComputing L300 Ethernet Virtual Desktop Kit costs less than half the price of entry-level PCs. And the ongoing savings are even higher. With no moving parts or local storage, repairs are rare and your maintenance costs are kept in check because you only have to maintain and upgrade the shared PCs. In fact, whenever you refresh to the latest PC technology, NComputing L300 Ethernet Virtual Desktop Kit users will automatically enjoy the increased performance.

The small NComputing L300 Ethernet Virtual Desktop Kit (about half the size of a paperback book) consumes less power, generates less heat, produces less e-waste, and makes no noise. Each NComputing L300 Ethernet Virtual Desktop Kit includes an access device, power supply/cord, NComputing vSpace software CD/license, software installation & user guide, Quick Install Guide, and VESA-compliant monitor mounting bracket. PC, monitor, keyboard, mouse, speakers, microphone, and other peripherals are NOT included and must be purchased separately.

Features:

- Full Screen Video
- High availability login
- Rapid deployment tools
- 24-bit color depth
- Microphone port
- 1920x1080 resolution
- 1440x900 resolution
- Speaker output
- Mounting bracket
- Low power (3-5W)
- USB peripheral ports
- Keyboard/mouse ports

Specifications:

Size	Width: 115 mm / 4.5 inches, Depth: 115 mm / 4.5 inches, Height: 30 mm / 1.2 inches
Weight	154 g / 0.34 lbs. Shipping weight (includes power adapter, packaging, documentation, etc.): 0.77 kg / 1.7 lbs
Power supply	12VDC power supply included (110/220 auto-switching)
Power consumption	5W (independent of external USB devices)

LED indicators	Power, network link, and network activity
Monitor	power-save mode Supports power-saving mode with VESA-compliant monitors
Networking	10/100 Mbps Switched Ethernet
Audio	12 bit stereo audio input / output via 3.5mm stereo jacks
Internal hardware	All solid-state design. No moving parts, no fans, no local user storage. NComputing Numo System-on-Chip with embedded NComputing operating firmware (no local user OS)
Multimedia support	Hardware-accelerated 2D graphics, hardware-accelerated video support for most media formats on stand-alone media player applications and browser-based video
Data security	No local data storage on device. USB data access controlled by user or device policy
Reliability (MTBF)	>100, 000 hours (calculated using Bellcore Issue 6 TR-332, Case 2, Part I at 40 degrees C)
Certifications	FCC Class B, CE, KCC, RoHS
Environmental	0 to 40 degrees Celsius, 10 to 85% relative humidity, (non-condensing) No moving parts permits use in high dust / particulate / vibration environments

Benefits:

- Power consumption is less than 5W per additional user
- Any Hardware upgeade benefits all clients
- An Operating system update is only required once for all users
- Backups are quick and easy since data is stored on one PC
- Moving a user is quick and easy, simply unlpug a network and move the user, even on different aread of a building
- Lower maintanance costs

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx.co.za/L300-Stock-clearance-special-NComputing-1-User-Buy-p-71111.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx.co.za/terms-of-use.php
Terms of Sale: https://www.comx.co.za/terms-of-sale.php

PDF generated: 2026-10-20 11:03:09.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.