ComX Computers
Product Specification Sheet

MD86

Yealink MeetingDisplay 86 inch

Product Overview

Yealink MeetingDisplay 86 inch, IPS Display Type, 60Hz Refresh Rate, 8ms Grayscale response time, 72% NTSC Colour Gamut, 1.07g Colour depth, 178 degree viewing angle, 1200:1 contrast ratio, 3840x2160 Resolution, 500 nits brightness, 7x 18h Operation time, 12W x 2 Speaker, 3x HDMI in 2.0, 3.5mm Stereo Mini jack (Output), 2x USB Type-A 2.0, 1x USB-B 2.0, 2x RJ45 Gigabit Network Ports, 1x RS232 control, Wi-Fi 6, 2.4G & 5G Dual-Band, Bluetooth 5.1





Specifications

Overview Summary:

The Yealink MeetingDisplay 86" is a high-performance 4K display perfect for businesses looking to streamline their meeting setups. Designed for seamless integration with the Yealink MTR system, this display offers crystal-clear visuals, easy installation, and intuitive controls. It features a 500-nit brightness, a wide 178-degree viewing angle, and multiple connectivity options, including Wi-Fi 6 and Bluetooth 5.1, ensuring smooth and reliable video conferencing. Whether for presentations, video calls, or digital signage, the Yealink MeetingDisplay makes collaboration effortless. Upgrade your meeting space with this advanced display-buy now for a better meeting experience!

Performance tier: High-end professional

Uses: Video conferencing, business meetings, presentations, collaboration, digital signage

Overview:

Yealink MeetingDisplay 86" - Unified Meeting Solution for Seamless Collaboration
The Yealink MeetingDisplay 86" is a high-performance display designed for modern meeting environments, offering an ideal solution for businesses looking to integrate video conferencing and collaboration systems. Tailored for use with the Yealink MTR (Microsoft Teams Rooms) system, this display combines cutting-edge technology with user-friendly features to enhance the meeting experience.

Description:

The Yealink MeetingDisplay 86" is designed to streamline collaboration and meeting management. Featuring an 86-inch IPS display, it offers a 4K resolution (3840x2160), exceptional brightness (500 nits), and a wide 178-degree viewing angle for clear

visibility in any room. Whether you're conducting video calls, sharing content, or utilizing digital signage, this display provides sharp visuals and smooth performance.

Its integrated features include automatic input source switching, seamless coordination with MTR devices, and intuitive one-touch console controls, all within a streamlined, easy-to-install design. The system supports Wi-Fi 6, Bluetooth 5.1, and dual Ethernet ports, ensuring stable and efficient connectivity for collaborative meetings.

Features:

Seamless Installation and Setup
Installing the Yealink MeetingDisplay 86" is quick and hassle-free, thanks to its customized mounting structure. No need for wall drilling-simply screw and hang the display, and it's ready to go. The MeetingDisplay can be paired with Yealink MTR devices like the MeetingBar, UVC Camera, and MCore, creating a complete solution for any meeting room.

Unified Coordination for Effortless Collaboration
The Yealink MeetingDisplay works in perfect harmony with the Yealink MTR system. It automatically switches to the current input source during meetings, such as transitioning to a Microsoft Teams call without manual intervention. This system also supports sleep/wake-up functionality, minimizing energy consumption while ensuring the display is ready when needed.

Simplified Configuration with One-Touch Console
The MeetingDisplay comes with an intuitive one-touch console, allowing users to quickly configure MTR devices and adjust the display's settings, including brightness, volume, and contrast. This eliminates the need for a remote control and makes managing meetings faster and more efficient.

Centralized Device Management with YMCS
Yealink's Management Cloud Service (YMCS) offers centralized control over the MeetingDisplay and MTR devices. Manage and monitor all devices from one platform, ensuring seamless integration and simplified administration. No more switching between systems-everything is accessible from one convenient location.

Key Features:

- Effortless Installation:The customized mounting design eliminates the need for wall drilling, making setup easy and fast.
- Unified Coordination:Automatic source switching, sleep/wake-up features, and digital signage capabilities enhance the meeting experience and improve efficiency.
- Simplified Configuration:One-touch console provides a straightforward way to manage display settings without additional remotes or controls.
- Centralized Management:Manage and monitor all Yealink devices on a single platform using YMCS or YDMP, ensuring smooth operation across all systems.

Optimal Collaboration with Dual Ethernet Ports and Wireless Connectivity
The Yealink MeetingDisplay 86" comes with dual Ethernet ports, ensuring reliable wired connectivity for MTR devices. It also supports wireless content sharing via a presentation pod, making local collaboration effortless. For a lag-free experience, the HDMI-in port offers near-zero latency for smooth, real-time communication.

Compatibility with Yealink MTR System
Designed specifically for Yealink's MTR system, the MeetingDisplay integrates seamlessly with the Yealink MeetingBar, UVC Camera, and MCore. This unified solution makes the setup and management of video conferences simpler, and it's available in three sizes (65", 75", and 86") to suit meeting rooms of various sizes.

Benefits for Your Business

- Increased Efficiency:Automated switching and sleep/wake-up functions optimize device utilization, reducing manual intervention.
- Cost-Effective:The unified system reduces energy consumption and simplifies device management, making it an economical

choice for businesses.

- User-Friendly:With the one-touch console and simplified installation, the MeetingDisplay ensures a smooth user experience from start to finish.

- Comprehensive Management:Centralized control through YMCS/YDMP streamlines monitoring and administration of all meeting room devices.

Whether you're hosting small team huddles or large corporate meetings, the Yealink MeetingDisplay 86" offers the flexibility and performance you need to ensure every session runs smoothly.

Specifications:

Product Code	MD86
Parameter	Description
Display	Screen Size
	- MeetingDisplay 65: 65 inch
	- MeetingDisplay 75: 75 inch
	- MeetingDisplay 86: 86 inch
	Display Type: IPS
	Surface Treatment: Anti-glare Coating
	Refresh Rate: 60Hz
	Grayscale Response Time: 8ms
	Color Gamut: 72% NTSC
	Colour Depth: 1.07G (10bit)
	Viewing Angle: 178degrees(H)/178degrees(V)
	Contrast Ratio: 1200: 1
	Resolution: 3840 x 2160
	Brightness: 500 cd/²
	Haze: 25%
	Operation Time: 7*18h
Audio	Speaker: 12W x 2
Content sharing	Wired screen sharing:
	- HDMI In
	Wireless screen sharing:
	- AirPlay
	- Miracast
	- Wireless Presentation Pod (unavailable in the United States)

Hardware Interfaces	Video: HDMI In 2.0 x 3
	Audio: 3.5mm Stereo Mini Jack (Output)
	USB: USB- A 2.0 x 2, USB- B 2.0 x 1
	LAN: 2x RJ45 10/100/1000M network ports
	Control: RS232 x 1, IP Control(Via LAN)
	Others: Reset x 1
Wireless	WiFi: Wi-Fi 6
	- 2.4G & 5G dual-band, 802.11a/b/g/n/ac/ax
	Bluetooth: Bluetooth 5.1
	IR: Supported
Installation Methods	Wall-mounted Installation
	Floor-stand Installation
Packaging	1 x MeetingDisplay
	1 x Cable Pack
	- 1 x 3m AC power cable
	- 1 x 3m CAT5E network cable
	- 1 x Quick Start Guide
	- Cable ties
	- 1 x Remote Controller (IR)
	- 2 x AAA Batteries
	- 1 x MCore bracket (Compatible with MCore 4, MCore 4 is sold separately)
Optional Accessories	Mounting Accessories for MeetingDisplay:
	Wall mounting Bracket: MD-WallMount (Suitable for 65", 75", and 86" MeetingDisplay)
	Motorized mobile stand: MB-FS-Lift
	Mounting Accessories for MVC Series & MeetingBar:
	Mounting Bracket:
	- MD-AVBracket- S: Compatible with MeetingBar A40, SmartVision 40, MSpeaker Pro
	- MD-AVBracket- L: Compatible with MeetingBar A50
	- MD-PTZBracket: Compatible with UVC86
	Casting Accessories:
	Wireless Presentation Pod (unavailable in the United States)
System Overview	Operating System: Android 13
	Storage
	- Memory: 4G
	- Flash: 32G

Power	Power Adapter: 100- 240V~50/60Hz
	Power Consumption
	- MeetingDisplay 65
	- Max: 210W
	- Typical: 183W
	- Off mode: less than 0.5W
	- MeetingDisplay 75
	- Max: 215W
	- Typical: 186W
	- Off mode: less than 0.5W
	- MeetingDisplay 86
	- Max: 323W
	- Typical: 268W
	- Off mode: less than 0.5W
Environmental Factors	Operating Temperature: 0~40degreesC
	Storage Temperature: -20~60degreesC
	Operating Humidity: 10~95%

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: https://www.comx.co.za/MD86-Yealink-MeetingDisplay-86-inch-p-331994.php

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: https://www.comx.co.za/terms-of-use.php
Terms of Sale: https://www.comx.co.za/terms-of-sale.php

PDF generated: 2026-11-22 01:38:21.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.