

NET-RE230

TP-Link RE230 AC750 Wi-Fi Range Extender

Product Overview

TP-Link RE230 AC750 Wi-Fi Range Extender



Specifications

Features:

- Extend WiFi Coverage: Expand your home's WiFi with RE230 featuring two internal antennas that are specifically designed to eliminate WiFi dead zones with speeds up to 750 Mbps.
- Fast Ethernet Port: Experience wired speed and reliability anywhere in your home by connecting your favorite device to the fast ethernet port.
- High-Speed Mode: Uses both bands to create a super high-speed connection, perfect for HD streaming and gaming.
- Set Up in Minutes: Easily set up and manage your WiFi in a few quick and easy steps using the TP-Link Tether app (Android, iOS). Find the optimal location for the best WiFi connection with an intelligent signal indicator.
- Universal Compatibility: The RE230 range extender is compatible with all WiFi-enabled devices and routers or access points.

Keep the Whole Home Connected

RE230 wirelessly connects to your WiFi router, strengthening and expanding its signal into areas it can't reach on its own. With speeds of up to 300 Mbps on 2.4 GHz and 433 Mbps on 5 GHz, put strong, fast WiFi in every room and say goodbye to dead zones.

TP-Link OneMesh™

OneMesh™ is a simple way to form a Mesh network with a single WiFi name for seamless whole-home coverage. Just connect a OneMesh™ range extender to a OneMesh™ router. No more searching around for a stable connection.

Smart Roaming

Uninterrupted streaming when moving around your home Extender

One WiFi Name

No more switching WiFi network names

Easy Creation

OneMesh™ Router + OneMesh™ Range Extender

ComX Computers

Product Specification Sheet

Unified Management

Manage the whole unified network all in one Tether app

Enjoy a Mesh Network with Your Existing Router

Want a Mesh network? Hesitate on whether to replace your existing router and buy a Mesh set?

TP-Link OneMesh™ resolves your dilemma.

Faster AC750 Dual Band WiFi

The RE230 lets you keep more devices connected simultaneously with its 2.4 GHz 300 Mbps and 5 GHz 433 Mbps dual bands.

Keeps Itself Fast

Adaptive Path Selection keeps your network running at top-speed by automatically choosing the fastest connection path to the router.

High Speed Mode

Use both WiFi bands to establish one super-high-speed connection, ideal for HD streaming & gaming.

Secure One-Touch Connection for Easy Setup

- Step 1: Simply press the WPS button on your router and, within 2 minutes, the WPS button on RE230 to connect to the network.

- Step 2: Once connected, place RE230 to the best location-without reconfiguration.

Find the Best Location with the Smart Signal Indicator

The smart signal indicator lets you see signal strength from the existing router at a glance. Easily to find the best place to position your range extender to extend your WiFi.

Feature-Rich App for Control in Your Hands

Set up and manage your WiFi through the TP-Link Tether app from your smartphone (Android, iOS), including TP-Link routers and range extenders.

Specifications:

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	NET-RE230
HARDWARE FEATURES	
Standards and Protocols	IEEE802.11ac, IEEE 802.11n, IEEE 802.11g, IEEE 802.11a, IEEE 802.11b
Interface	1 x 10/100M Ethernet Port (RJ45)
Button	WPS Button, Reset Button
Dimensions (W x D x H)	4.9 x 2.7 x 2.0 in (124 x 69 x 52 mm)
WIRELESS FEATURES	
Frequency	2.4GHz & 5GHz(11ac)
Signal Rate	5GHz: Up to 433Mbps
	2.4GHz: Up to 300Mbps

ComX Computers

Product Specification Sheet

Reception Sensitivity	5GHz
	11a 6Mbps: -91dBm@10% PER
	11a 54Mbps: -74dBm@10% PER
	11ac HT20 mcs8: -68dBm@10% PER
	11ac HT40 mcs9: -63dBm@10% PER
	11ac HT80 mcs9: -59dBm@10% PER
	2.4GHz
	11g 54M: -79dBm@10% PER
	11n HT20 mcs7: -77dBm@10% PER
	11n HT40 mcs7: -74dBm@10% PER
Wireless Modes	Range Extender/Access Point
Wireless Functions	Wireless Statistic
	Concurrent Mode boost both 2.4G/5G Wi-Fi band
	Access Control
	LED Control
	Domain Login Function
Wireless Security	64/128-bit WEP
	WPA-PSK / WPA2-PSK
Transmission Power	
OTHERS	
Certification	FCC
Package Contents	AC750 Wi-Fi Range Extender RE230
	Quick Installation Guide
Box Dimensions (W X D X H)	6.2 x 4.0 x 3.5 in. (156.5 x 101.5 x 89 mm)
System Requirements	Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, 8, 10, Mac OS, NetWare, UNIX or Linux.
Environment	Operating Temperature: 0 degreesC~40 degreesC (32 degreesF~104 degreesF)
	Storage Temperature: -40 degreesC~70 degreesC (-40 degreesF~158 degreesF)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/NET-RE230-TP-Link-RE230-AC750-Wi-Fi-Range-Extender-Buy-p-259396.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-16 13:39:07.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.