

P036-02M-EU

Eaton Tripp Lite series Power Extension Cord

Product Overview

Eaton Tripp Lite series Power Extension Cord, C19 to C20 - 16A, 250V, H05VV-F, 2 m (6.6 ft.), Black, Order on Request



Specifications

Overview:

Connects high-output devices with C19/C20 power connectors, including routers and blade servers.

- Recommended for powering blade server chassis and other high-output devices
- 2-meter length allows flexibility in placing devices in relationship to AC outlet
- Ideal replacement for a worn-out or missing power extension cord
- VDE-compliant H05VV-F jacket allows use in European IT applications

Features:

Power Cord Connects High-Output Data Center Equipment to Reliable AC Power

This VDE-compliant power cable connects a router, blade server or other high-output network device with a C20 power inlet to a PDU, UPS system or surge protector with C19 outlets. It can also extend an existing power connection up to two meters (6.6 feet). The P036-02M-EU features an IEC-320-C20 end for connecting to an AC power source or cord and an IEC-320-C19 end for connecting to a blade server chassis or other high-output device.

H05VV-F Jacket Is Fully VDE-Compatible for European Applications

The 0.75mm² enhanced PVC jacket complies with VDE, CE and UKCA standards for data centers, racks, workstations and other IT applications in Europe.

P036-02M-EU C19 to C20 Power Extension Cord, 2 m (6.6 ft.), Black

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	P036-02M-EU
OVERVIEW	
UPC Code	37332281029
Product Type	Power Extension Cord
Device Compatibility	Network Switch , PDU , Router , Server , UPS
Country/Region	Europe
INPUT	
Maximum Input Amps	16
Voltage Compatibility (VAC)	250
CONNECTIONS	
Side A - Connector 1	IEC-320-C20
Side B - Connector 1	IEC-320-C19
PHYSICAL	
Plug Color	Black
Cable Jacket Color	Black
Cable Jacket Material	PVC
Power Cord Jacket Type	H05VV-F

ComX Computers

Product Specification Sheet

Cable Outer Diameter (OD)	8.2 mm
Number of Conductors	3
Conductor Gauge	48/0.2AS
Wire Gauge (OD - mm ²)	1.5
Power Cord Color	Black
Cable Length (m)	2
Shipping Dimensions (hwd / cm)	25.40 x 20.29 x 1.27
Shipping Weight (kg)	0.29
Unit Packaging Type	Polybag
Unit Weight (kg)	0.18
ENVIRONMENTAL	
Operating Temperature Range	5degrees to 158degreesF (-15degrees to 70degreesC)
Storage Temperature Range	5degrees to 140degreesF (-15degrees to 60degreesC)
Operating Humidity Range	20% TO 80% RH, NON-CONDENSING
Storage Humidity Range	20% TO 80% RH, NON-CONDENSING
FEATURES & SPECIFICATIONS	
High Voltage	Yes
STANDARDS & COMPLIANCE	
Product Compliance	CE (Europe) , REACH , RoHS , UKCA

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/P036-02M-EU-Eaton-Tripp-Lite-series-Power-Extension-Buy-p-311417.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-06 19:00:33.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.