

PA328QV

Asus PA328QV ProArt 31.5" Display Professional Monitor

Product Overview

Asus ProArt Display PA328QV Professional Monitor - 31.5-inch, IPS, WQHD (2560 x 1440), 100% sRGB, 100% Rec.709, Color Accuracy $\Delta E < 2$, Calman Verified, Ergonomic Stand



Specifications

About this product

The **ASUS ProArt Display PA328QV** is a 31.5-inch professional monitor with an IPS panel, WQHD 2560 x 1440 resolution, and factory calibrated 100% sRGB and 100% Rec.709 colour coverage for accurate image reproduction and creative work.

Overview Summary

Product: ASUS ProArt Display PA328QV Professional Monitor

The **ASUS ProArt Display PA328QV** is a professional quality 31.5-inch monitor engineered for graphic design, photo editing, video production and colour critical tasks. Its WQHD resolution and wide 178 degree viewing angles ensure detailed visuals and consistent clarity across the screen, while 100% sRGB and Rec.709 colour gamut coverage and Calman Verified colour accuracy ensure true to life colours right out of the box.

With extensive connectivity including DisplayPort, HDMI, USB hub and ergonomic stand adjustments such as tilt, swivel, pivot and height control, this monitor adapts to diverse work environments. Adaptive-Sync support and a 75Hz refresh rate help produce smooth motion performance for both creative workflows and light multimedia tasks.

Performance tier: Professional creative

Uses: photo editing, video production, graphic design, content creation, productivity

Overview

ProArt Display PA328QV is a 31.5-inch monitor designed to satisfy the needs of creative professionals, from photo and video editing to graphic design. ProArt Display PA328QV is factory calibrated and Calman Verified to deliver superb color accuracy ($\Delta E < 2$). It also provides industry-standard 100% sRGB / 100% Rec. 709 color space coverage. With ASUS-exclusive features, such as ProArt Preset and ProArt Palette with six-axis color, black-level and brightness adjustments, PA328QV makes it easy to achieve the exact look you desire quickly, easily and precisely.

Quick Specifications:

- Screen size: 31.5 inches
- Flat or curve: Flat
- Panel type: IPS
- Aspect ratio: 16:9
- Resolution: 2560 x 1440 pixels
- Refresh rate: 75 Hz
- Brightness (nits): 400 nits peak
- Contrast ratio: 1000:1
- View angle (degrees): 178 horizontal 178 vertical
- Response time (ms): 5 ms
- Frequency (Hz): 75 Hz
- Sync: Adaptive-Sync
- Video ports: 1 x DisplayPort 1.2, 2 x HDMI 2.0
- VESA: 100 x 100 mm
- Monitor performance tier: Professional creative
- Uses: photo editing, media creation, graphic design, productivity

Strong reasons to buy

- Accurate colour reproduction with 100% sRGB and Rec.709 coverage calibrated at the factory for reliable results
- Large 31.5 inch WQHD panel for detailed workspace and enhanced multitasking
- Ergonomic stand with height, tilt, swivel and pivot adjustments to suit any setup
- Adaptive-Sync technology to reduce screen tearing and offer smooth motion
- Broad connectivity including DisplayPort, HDMI and USB hub for flexible device support

Description

The **ASUS ProArt Display PA328QV** is designed to serve professionals who demand precise colour and high image fidelity from their display. Utilising a 31.5 inch IPS panel, the monitor delivers wide viewing angles of 178 degrees with WQHD resolution for crisp, detailed visuals. Factory calibration and Calman Verification ensure that colours are accurate with Delta E

Features

The **ASUS ProArt Display PA328QV** includes:

- WQHD 2560 x 1440 resolution on a large 31.5 inch IPS panel for smooth, detailed visuals
- 100% sRGB and Rec.709 colour coverage and Calman Verified for accurate colour reproduction
- Adaptive-Sync support and a 75Hz refresh rate for fluid motion during editing and media tasks
- Ergonomic stand offering height, tilt, swivel and pivot adjustments for comfort
- Comprehensive connectivity including DisplayPort, HDMI and a USB hub for peripherals

Bring out the true beauty of your pictures

The ProArt display delivers industry-standard 100% sRGB and 100% Rec. 709 color gamut for rich, vivid reproduction that ensures every detail of your photos is clear and lifelike.

High color fidelity for truly expressive hues

Revel in pure, expressive hues thanks to accurate, true-to-life color reproduction. ProArt displays achieve $\Delta E < 2$, so your images are accurately reproduced on screen - allowing you to see exactly how your work is going to look when it's finished.

True color, right out of box

Color professionals rely on color-accurate displays to ensure that their creations look exactly as intended. ProArt Display PA328QV is factory calibrated and Calman Verified to guarantee industry-leading color accuracy. Every ProArt display undergoes stringent, meticulous testing to ensure smoother color gradation. Consumer of pro, you're assured color-accurate viewing and content-creation experiences.

Quick color-gamut adjustment

ASUS-exclusive ProArt Preset provides multiple modes for quick color-gamut adjustment. Whether you're color grading, video editing or manipulating photos, you can switch and match your needs easily.

Personalized editing experience

ASUS ProArt Palette lets you customize your display via a wide range of parameters, including color hue, temperature and gamma adjustments - all easily accessed via intuitive on-screen menus. There are also two-point grayscale sliders for all six colors, providing greater color-adjustment flexibility than many competing monitors. ProArt Palette empowers you to produce quickly and consistently, and makes it easy to keep your color management in check.

Rich Connectivity

ProArt Display PA328QV offers rich connectivity with DisplayPort 1.2, dual HDMI (v1.4) ports and a built-in USB hub, so it's easy to hook up to a wide variety of devices and enjoy ultrafast transfer speeds with external storage - catering to every content-creation demand.

Accurate real-time on-set preview

ComX Computers

Product Specification Sheet

QuickFit Plus is clever feature overlays a grid on the screen that allows to align and preview. Center marker and safety area it can real-time preview when you are on-set shooting to avoid video image beyond the screen. Ruler provides actual size of inch ruler in the edge; you also can customize the working size to fit your preference.

ASUS Ultra-Low Blue Light technology

Exclusive ASUS Ultra-Low Blue Light technology protects you from blue-light emissions that may be harmful to your vision. It offers four blue-light filter settings that are easily accessed through the on-screen menu via the hotkey.

ASUS Flicker-Free technology

ASUS Flicker-Free technology provides a more comfortable viewing experience and work environment by reducing on-screen flicker to minimize eye strain, headaches and eye fatigue when you spend long hours in front of the display.

Versatile comfort with ergonomic stand design

With an ergonomically-designed stand with tilt, swivel, pivot and height adjustments, ProArt displays provide comfortable viewing and usage experiences. The ability to pivot the screen clockwise or counterclockwise 90 degrees for use in portrait mode comes in handy when working with long documents, coding or website browsing. Furthermore, the quick-release stand makes it easy to attach the display via the integrated VESA wall mount - screw-free, so it's done in seconds!

What's in the Box

- ASUS ProArt Display PA328QV monitor
- DisplayPort cable
- HDMI cable
- Power cord
- Quick start guide
- Warranty card

Specifications

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	PA328QV
Model	ProArt Display PA328QV

Display	Panel Size (inch) : 31.5
	Pixels Per Inch (PPI) : 93
	Aspect Ratio : 16:9
	Display Viewing Area (H x V) : 698.112 x 392.688 mm
	Display Surface : Anti-Glare
	Backlight Type : LED
	Panel Type : IPS
	Viewing Angle (CR>=10, H/V) : 178degrees/ 178degrees
	Pixel Pitch : 0.272mm
	Resolution : 2560x1440
	Color Space (sRGB) : 100%
	Brightness (HDR, Peak) : 400 cd/²
	Brightness (Typ.) : 350cd/²
	Contrast Ratio (Typ.) : 1000:1
	Display Colors : 1073.7M (10 bit)
	Response Time : 5ms(GTG)
	Refresh Rate (Max) : 75Hz
	HDR (High Dynamic Range) Support : HDR10
	Flicker-free : Yes
	LCD ZBD Warranty : Yes(3 yr)

Features	ProArt Preset : Standard
	ProArt Preset : sRGB
	ProArt Preset : DCI-P3
	ProArt Preset : Rec.709
	ProArt Preset : Scenery
	ProArt Preset : Reading
	ProArt Preset : Rapid Rendering
	ProArt Preset : HDR
	ProArt Preset : User mode1
	ProArt Preset : User mode2
	Color Temp. Selection : Yes (5 modes)
	Color Adjustment : 6-axis adjustment (R, G, B, C, M, Y)
	Gamma Adjustment : Yes (Support Gamma 1.8/2.0/2.2/2.4/2.6)
	Color Accuracy : $\Delta E < 2$
	ProArt Palette : Yes
	QuickFit Plus : Yes
	PIP / PBP Technology : Yes
	HDCP : Yes, 2.2
	VRR Technology : Yes (Adaptive-Sync)
	ProArt Chroma Tune : Yes
	Low Blue Light : Yes
Audio	Speaker : Yes(2Wx2)
I/O Ports	DisplayPort 1.2 x 1
	HDMI(v2.0) x 2
	USB Hub : 4x USB 3.2 Gen 1 Type-A
	Earphone Jack : Yes
Signal Frequency	Digital Signal Frequency : HDMI : 27~112 KHz (H), 24~75 Hz (V)
	DisplayPort : 112~112 KHz (H), 48~75 Hz (V)
Power Consumption	Power Consumption : 23.96 W
	Power Saving Mode : < 0.5W
	Power Off Mode : 0W
	Voltage : 100-240V, 50/60Hz

Mechanical Design	Tilt : Yes (+23degrees ~ -5degrees)
	Swivel : Yes (+30degrees ~ -30degrees)
	Pivot : Yes (+90degrees ~ -90degrees)
	Height Adjustment : 0~130mm
	VESA Wall Mounting : 100x100mm
	Kensington Lock : Yes
Dimensions (Esti.)	Phys. Dimension (W x H x D) : 71.48 x 46.56 x 59.56 cm (28.14" x 18.33" x 23.45")
	Phys. Dimension without Stand (W x H x D) : 71.48 x 42.22 x 6.73 cm (28.14" x 16.62" x 2.65")
	Box Dimension (W x H x D) : 84.10 x 52.50 x 31.70 cm (33.11" x 20.67" x 12.48")
Weight (Esti.)	Net Weight : 11.5 kg (25.35 lbs)
	Net Weight without Stand : 7.0 kg (15.43 lbs)
	Gross Weight : 14.6 kg (32.19 lbs)
Accessories (vary by regions)	Color pre-calibration report
	DisplayPort cable
	HDMI cable
	Power cord
	Quick start guide
	Warranty Card
	Welcome Card
Certificate	TCO Certified
	TÜV Flicker-free
	TÜV Low Blue Light
	Calman Verified

FAQ

What is the native resolution of the ASUS ProArt PA328QV?

The native resolution of this monitor is WQHD 2560 x 1440 pixels, offering detailed and sharp visuals that are ideal for creative work and productivity tasks.

This resolution ensures clear imagery and workspace without excessive scaling issues on a 31.5 inch screen.

Does the ASUS ProArt PA328QV support colour calibration?

Yes, the monitor is factory calibrated and Calman Verified to provide accurate colour reproduction with Delta E

This helps photographers, video editors and graphic designers see colours as intended without manual calibration initially.

What ports are available on this monitor?

The ASUS ProArt PA328QV includes 1 x DisplayPort 1.2, 2 x HDMI 2.0, and a USB hub with 4 x USB 3.2 ports, plus an earphone jack for flexible connectivity.

This range of ports supports multiple devices like desktops, laptops and peripherals with ease.

Is this monitor good for gaming?

While this monitor is primarily designed for creative professionals, its 75Hz refresh rate and Adaptive-Sync support provide smoother motion than standard 60Hz screens, making it suitable for casual gaming.

However, it may not replace high refresh rate gaming monitors for competitive play due to its 75Hz limit.

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/PA328QV-Asus-PA328QV-ProArt-31-5-Display-Professional-Buy-p-333687.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-13 03:41:20.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.