

POSHPH5W78EA

HP rp7100 15" Resistive AFD Display Intel Celeron 807UE 32GB SSD Point of Sale Systems with POSReady 7 32bit OS

Product Overview

HP rp7100 Point of Sale Systems Intel Celeron Processor 807UE 1.0GHz 1MB cache single-core 15 inch Resistive AFD Display 4GB DDR3-1600 SODIMM (1x4GB) RAM 32GB SATA Sandisk u100 MLC0 WLAN 802.11 b/g/n POSReady 7 32bit OS



Specifications

Overview:

Redefining reliability in hospitality and retail, the HP RP7 Retail System, Model 7100 delivers an intuitive, comfortable user experience in a fanless, sealed chassis that's deployable in your most demanding settings.

Features:

Reliability you can trust

- A breathtaking exterior is just the beginning. We also packed the HP RP7, Model 7100 with durable, reliable technologies that optimize speed of service and enhance guest experiences.
- The fanless, solid-state design supports deployment in customer-facing and staff work areas. The sealed chassis is resistant to splashing water and dust and achieves an Ingress Protection rating of "54".
- Get improved uptime in demanding environments from Intel® processors with technologies such as: Intel® Virtualization Technology, Intel® 64, Enhanced Intel SpeedStep® Technology, and Thermal Monitoring Technologies.
- Choose the best touch display for your cashiers and environment and then customize it with intuitive and familiar projected capacitive touch technology or the flexible navigation features of resistive touchscreen.
- Add a sharp customer-facing display. The HP RP7 10.4-inch CFD Display (B0T22AV) is perfect for additional advertising and promotional opportunities. The HP RP7 VFD Customer Display (B0T26AV) offers easy-to-read price and product information.

Impressive everywhere you look

- Enhance your store image with the modern, space-saving design and contemporary aesthetics.

Substance beyond style

- The HP RP7, Model 7100 is retail-hardened for use in environments up to an ambient 35 degreesC. The steel chassis, on-board monitoring and alerts, and environmental and shock testing stand up to the long term wear and tear of retail

ComX Computers

Product Specification Sheet

environments.

Specifications:

© 2014 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	H5W78EA
--------------	---------

System features

Operating system	FreeDOS
------------------	---------

Processor	Intel Celeron 807UE with Intel HD Graphics (1 GHz, 1 MB cache, 1 core)
-----------	--

Chipset	Intel HM65 Express
---------	--------------------

Form factor	All-in-one
-------------	------------

Memory

Memory, standard	4 GB 1600 MHz DDR3 SDRAM
------------------	--------------------------

Memory slots	1 SODIMM
--------------	----------

Storage

Internal drive bays	One 6,35 cm (2.5")
---------------------	--------------------

Hard drive description	128 GB SATA SSD
------------------------	-----------------

Graphics

Graphics	Integrated Intel HD Graphics
----------	------------------------------

Expansion Features

ComX Computers

Product Specification Sheet

Ports	6 USB 2.0
	2 12V powered USB
	1 24V powered USB
	1 USB in lockable compartment
	1 RJ-12 (cash drawer)
	2 RS-232 (powered)
	1 parallel
	1 PS / 2
	1 DVI-I
	1 RJ-45
	1 audio in
	1 audio out
	1 DC in
	1 DC out
	4 USB connectors (for select HP integrated peripherals)
	(Only 1 12V powered USB available if VFC display installed. DVI-I not available if 10.4" CFD installed. Audio line-out not available if 10.4" CFD installed and audio connected.)
Display	38,1 cm (15") Resistive (1024 x 768 resolution). Optional customer facing display includes HP RP7 VFD Display or the HP RP7 26,4 cm (10.4").
Media devices	
Audio	Integrated high-definition audio with Realtek ALC261 codec, multi-streaming sound capabilities, SRS Premium Sound technology and dual internal speakers.
Communication features	
Network interface	Integrated Broadcom BCM57788 Gigabit Ethernet Network Connection; HP WLAN 802.11 b / g / n mini-PCIe wireless card.
Power and operating requirements	
Power	External 180W, 87% efficient, active PFC
Operating temperature range	10 to 35 degreesC
Operating humidity range	20% to 85% RH
Dimensions and weight	
Dimensions (W x D x H)	With 38,1 cm (15") display: 31.3 x 42.4 x 33.58 cm; With 43,2 cm (17") display: 38.6 x 43.07 x 34.72 cm
Weight	Starting at 6.8 kg
Security management	
Security management	Kensington lock and padlock loop
What's included	
Keyboard	No keyboard

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/POSHPH5W78EA-HP-rp7100-15-Resistive-AFD-Display-Intel-Buy-p-87174.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 05:34:58.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.