

## PRCAMF752Cdw

Canon i-SENSYS MF752Cdw A4 Multifunction Colour Laser Printer

### Product Overview

Canon i-SENSYS MF752Cdw A4 Multifunction Colour Laser Printer, Personal or small workgroup, 3 in1 Print/Scan/Copy. 33 ppm 600 x 600 dpi. Platen, 2 sided 50 sheet DADF, 250 sheet cassette, 50 sheet MP Tray, UFR II, PCL5C, PCL6, (RMPV 750 - 4 000) CRG069 C/M/Y/K CRG069 H C/M/Y/B



### Specifications

#### Overview:

Optimal print and scan productivity from a colour multi-function printer with direct cloud connectivity.

#### Features:

##### Streamline everyday business tasks

An updated colour engine in the Canon i-SENSYS MF750 Series delivers advanced usability and connectivity capabilities, as well as fast print and scan speeds, to boost your business productivity.

##### Ultimate productivity

Work faster by printing and scanning at speeds of up to 33ppm and 100ipm\* (A4), as well as utilising a wide range of media handling with the ability to scan small documents such as cheques and receipts.

##### Built-in cloud connectivity

Centralise print management with cloud-based Universal Print by Microsoft and access documents directly from cloud storage services: Google Drive, DropBox and OneDrive.

##### Intuitive user experience

Streamline workflows with drag and drop tabs to customise the display and create one-touch shortcut buttons with Application Library apps.

##### Reliable security

Advanced system verification protects the device from hacking and virus threats as soon as you start up, while Secure PIN restricts access to sensitive documents.

#### Specifications:

## ComX Computers

### Product Specification Sheet

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

#### Specifications

|              |              |
|--------------|--------------|
| Product Code | PRCAMF752Cdw |
|--------------|--------------|

#### General Specifications

|              |                         |
|--------------|-------------------------|
| Machine Type | Colour Laser All-In-One |
|--------------|-------------------------|

|                     |                      |
|---------------------|----------------------|
| Available Functions | Print, Copy and Scan |
|---------------------|----------------------|

#### Print Specifications

|             |       |
|-------------|-------|
| Print Speed | 33ppm |
|-------------|-------|

|                 |                            |
|-----------------|----------------------------|
| Printing Method | Colour laser beam printing |
|-----------------|----------------------------|

|                  |                       |
|------------------|-----------------------|
| Print Resolution | Up to 1200 x 1200 dpi |
|------------------|-----------------------|

|              |                                          |
|--------------|------------------------------------------|
| Warm-up Time | Approx. 14 seconds or less from power on |
|--------------|------------------------------------------|

|                      |                                     |
|----------------------|-------------------------------------|
| First-Print-Out Time | Colour approx.: 7.1 seconds or less |
|----------------------|-------------------------------------|

|                                   |
|-----------------------------------|
| Mono approx.: 7.1 seconds or less |
|-----------------------------------|

|                   |                      |
|-------------------|----------------------|
| Printer Languages | UFR II, PCL 5c, PCL6 |
|-------------------|----------------------|

|       |              |
|-------|--------------|
| Fonts | 45 PCL fonts |
|-------|--------------|

|               |                                  |
|---------------|----------------------------------|
| Print Margins | 5 mm-top, bottom, left and right |
|---------------|----------------------------------|

|                                              |
|----------------------------------------------|
| 10 mm-top, bottom, left and right (Envelope) |
|----------------------------------------------|

|                  |     |
|------------------|-----|
| Toner Saver Mode | Yes |
|------------------|-----|

|                            |                        |
|----------------------------|------------------------|
| Advanced Printing Features | Encrypted Secure Print |
|----------------------------|------------------------|

|              |
|--------------|
| Secure Print |
|--------------|

|                                           |
|-------------------------------------------|
| Print from USB memory key (JPEG/TIFF/PDF) |
|-------------------------------------------|

|                                                              |
|--------------------------------------------------------------|
| Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) |
|--------------------------------------------------------------|

|                                   |
|-----------------------------------|
| Microsoft Universal Print support |
|-----------------------------------|

|                                         |
|-----------------------------------------|
| iOS: AirPrint, Canon PRINT Business app |
|-----------------------------------------|

|                                                                                  |
|----------------------------------------------------------------------------------|
| Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app |
|----------------------------------------------------------------------------------|

#### Copy Specifications

|            |                                 |
|------------|---------------------------------|
| Copy Speed | Single sided (A4): Up to 33 ppm |
|------------|---------------------------------|

|                                 |
|---------------------------------|
| Double sided (A4): Up to 29 ipm |
|---------------------------------|

|                     |                                              |
|---------------------|----------------------------------------------|
| First-Copy-Out Time | ADF (A4): Colour Approx. 8.8 seconds or less |
|---------------------|----------------------------------------------|

|                                  |
|----------------------------------|
| Mono Approx. 7.6 seconds or less |
|----------------------------------|

|              |
|--------------|
| Platen (A4): |
|--------------|

|                                    |
|------------------------------------|
| Colour Approx. 9.4 seconds or less |
|------------------------------------|

|                                  |
|----------------------------------|
| Mono Approx. 8.3 seconds or less |
|----------------------------------|

|                 |                     |
|-----------------|---------------------|
| Copy Resolution | Up to 600 x 600 dpi |
|-----------------|---------------------|

|            |                                                                         |
|------------|-------------------------------------------------------------------------|
| Copy Modes | Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text |
|------------|-------------------------------------------------------------------------|

## ComX Computers

### Product Specification Sheet

|                                     |                                                                                                                           |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Double Sided Copying</b>         | 2-sided to 2-sided (Automatic)                                                                                            |
| <b>Multiple Copies</b>              | Up to 999 copies                                                                                                          |
| <b>Reduction / Enlargement</b>      | 25-400% in 1% increments                                                                                                  |
| <b>Other Features</b>               | Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy, Reserved copy                                                         |
| <b>Scan Specifications</b>          |                                                                                                                           |
| <b>Standard Type</b>                | Colour                                                                                                                    |
| <b>Scan Resolution</b>              | Optical: Up to 600 x 600 dpi                                                                                              |
|                                     | Enhanced: Up to 9600 x 9600 dpi                                                                                           |
| <b>Scan Speed</b>                   | Single sided mono: 50ipm (300x300dpi)                                                                                     |
|                                     | Single sided colour: 40ipm (300x300dpi)                                                                                   |
|                                     | Double sided mono: 100ipm (300x300dpi)                                                                                    |
|                                     | Double sided colour: 80ipm (300x300dpi)                                                                                   |
|                                     | Single sided mono: 40ipm (300x600dpi)                                                                                     |
|                                     | Single sided colour: 20ipm (300x600dpi)                                                                                   |
|                                     | Double sided mono: 80ipm (300x600dpi)                                                                                     |
|                                     | Double sided colour: 40ipm (300x600dpi)                                                                                   |
| <b>Colour Scanning Depth</b>        | 24 bit/24 bit (input/output)                                                                                              |
| <b>Greyscales</b>                   | 256 levels                                                                                                                |
| <b>Compatibility</b>                | TWAIN, WIA, ICA                                                                                                           |
| <b>Maximum Scan Width</b>           | 216mm                                                                                                                     |
| <b>Scan to E-mail</b>               | TIFF/JPEG/PDF/Compact PDF/Searchable PDF                                                                                  |
| <b>Scan to PC</b>                   | TIFF/JPEG/PDF/Compact PDF/Searchable PDF                                                                                  |
| <b>Scan to USB Memory Key</b>       | TIFF/JPEG/PDF/Compact PDF/Searchable PDF                                                                                  |
| <b>Scan to FTP</b>                  | TIFF/JPEG/PDF/Compact PDF/Searchable PDF                                                                                  |
| <b>Scan to Cloud</b>                | TIFF/JPEG/PDF/PNG                                                                                                         |
| <b>Media Handling</b>               |                                                                                                                           |
| <b>Scanner Type</b>                 | Platen, 2-sided ADF (single pass)                                                                                         |
| <b>Paper Input (Standard)</b>       | 250-sheet cassette                                                                                                        |
|                                     | 50-sheet multi-purpose tray                                                                                               |
|                                     | 50-sheet ADF                                                                                                              |
| <b>Paper Input (Option)</b>         | 550-sheet cassette                                                                                                        |
| <b>Maximum Paper Input Capacity</b> | 850-sheet cassette                                                                                                        |
| <b>Paper Output</b>                 | 150-sheet                                                                                                                 |
| <b>Media Types</b>                  | Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope |

## ComX Computers

### Product Specification Sheet

|                                       |                                                                                                                                                                                                                                                |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Media Sizes</b>                    | Cassette (Standard):                                                                                                                                                                                                                           |
|                                       | A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm.              |
|                                       | Multi-purpose tray:                                                                                                                                                                                                                            |
|                                       | A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.0 x 127 mm Max. 216.0 x 356.0 mm. |
|                                       | Cassette (Optional):                                                                                                                                                                                                                           |
|                                       | A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm.                                               |
|                                       | ADF:                                                                                                                                                                                                                                           |
|                                       | A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 48 x 85.0 mm Max 216.0 x 355.6 mm                                                                                                                                                 |
| <b>Media Weights</b>                  | Cassette (standard and optional): 60 to 163 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper)                                                                                                                                    |
|                                       | Multi-purpose tray: 60 to 176 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper)                                                                                                                                                  |
|                                       | ADF: 50 to 105 g/m <sup>2</sup>                                                                                                                                                                                                                |
| <b>Double Sided Printing</b>          | Automatic                                                                                                                                                                                                                                      |
|                                       | Cassette:                                                                                                                                                                                                                                      |
|                                       | A4, A5, A6, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K                                                                                                                                             |
|                                       | Custom size - Min. 148 x 148 mm Max. 216 x 356 mm                                                                                                                                                                                              |
|                                       | 60 to 200 g/m <sup>2</sup>                                                                                                                                                                                                                     |
| <b>Interface &amp; Software</b>       |                                                                                                                                                                                                                                                |
| <b>Interface Type</b>                 | USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection                                                                                                                                             |
| <b>Operating System Compatibility</b> | Windows 11 / Windows 10 / Windows 8.1 / Server 2022 / Server 2019 / Server 2016 / Server 2012R2 / Server 2012                                                                                                                                  |
|                                       | Mac OS X version 10.12 & up                                                                                                                                                                                                                    |
|                                       | Linux                                                                                                                                                                                                                                          |

## ComX Computers

### Product Specification Sheet

|                                   |                                                                                                                                                |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Network Protocol                  | Print:                                                                                                                                         |
|                                   | TCP/IP (LPD/Port9100/IPP/IPPS/WSD)                                                                                                             |
|                                   | Scan:                                                                                                                                          |
|                                   | Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)                                                                                                 |
|                                   | E-mail/I-Fax: SMTP (send), POP3 (receive)                                                                                                      |
|                                   | Pull Scan: TCP/IP                                                                                                                              |
|                                   | Management:                                                                                                                                    |
|                                   | SNMPv1, SNMPv3 (IPv4, IPv6)                                                                                                                    |
|                                   | Security:                                                                                                                                      |
|                                   | TLS1.3, IPsec, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)                                                                     |
|                                   | Security (wireless):                                                                                                                           |
|                                   | Infrastructure Mode:                                                                                                                           |
|                                   | WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES)                                                            |
|                                   | Access Point Mode:                                                                                                                             |
|                                   | WPA2-PSK(AES)                                                                                                                                  |
| Software and Printer Management   | MF Scan Utility                                                                                                                                |
|                                   | Remote User Interface (RUI)                                                                                                                    |
|                                   | Department ID Management                                                                                                                       |
|                                   | Toner Status Tool                                                                                                                              |
|                                   | iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices                                       |
|                                   | eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. |
|                                   | Application Library                                                                                                                            |
| General Features                  |                                                                                                                                                |
| Recommended Monthly Print Volume  | 750 - 4,000 pages per month                                                                                                                    |
| Duty Cycle                        | Max. 50,000 pages per month <sup>5</sup>                                                                                                       |
| Processor Speed                   | 1200MHz x 2                                                                                                                                    |
| Memory                            | 1GB                                                                                                                                            |
| Control Panel                     | 12.7 cm LCD Colour Touch Screen                                                                                                                |
| Dimensions with Trays (W x D x H) | 425 mm x 461 mm x 430 mm                                                                                                                       |
| Installation Space (W x D x H)    | 625 mm x 1,117 mm x 991 mm                                                                                                                     |
| Weight                            | Approx. 23.30 Kg                                                                                                                               |
| Operating Environment             | Temperature: 10 to 30°C (50 to 86°F)                                                                                                           |
|                                   | Humidity: 20 to 80% RH (no condensation)                                                                                                       |
| Power Source                      | 220-240V(+/-10%) 50/60Hz (+/-2Hz)                                                                                                              |

## ComX Computers

### Product Specification Sheet

|                                  |                                                                                                                                                                                                |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Power Consumption</b>         | Maximum: Approx. 1,380 W                                                                                                                                                                       |
|                                  | Active printing: Approx. 700W                                                                                                                                                                  |
|                                  | Standby: Approx. 24.0 W                                                                                                                                                                        |
|                                  | Sleep mode: Approx. 1.0 W                                                                                                                                                                      |
|                                  | Typical Electricity Consumption (TEC): 0.30 kWh/week (230V)                                                                                                                                    |
|                                  | For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a> |
| <b>Noise Levels</b>              | Sound Pressure:                                                                                                                                                                                |
|                                  | Active: Simplex 51dB / Duplex 51dB (BW), 50dB (CL)                                                                                                                                             |
|                                  | Standby: 29 dB                                                                                                                                                                                 |
|                                  | Sound Power:                                                                                                                                                                                   |
|                                  | Active: 65dB or less                                                                                                                                                                           |
|                                  | Standby: 41dB or less                                                                                                                                                                          |
| <b>Consumables</b>               |                                                                                                                                                                                                |
| <b>Cartridges</b>                | Cartridge 069 Black (2,100 pages*)                                                                                                                                                             |
|                                  | Cartridge 069H Black (7,600 pages*)                                                                                                                                                            |
|                                  | Cartridge 069 Cyan (1,900 pages*)                                                                                                                                                              |
|                                  | Cartridge 069H Cyan (5,500 pages*)                                                                                                                                                             |
|                                  | Cartridge 069 Magenta (1,900 pages*)                                                                                                                                                           |
|                                  | Cartridge 069H Magenta (5,500 pages*)                                                                                                                                                          |
|                                  | Cartridge 069 Yellow (1,900 pages*)                                                                                                                                                            |
|                                  | Cartridge 069H Yellow (5,500 pages*)                                                                                                                                                           |
|                                  | *Based on ISO/IEC 19798                                                                                                                                                                        |
|                                  | **Printer ships with Black: 2,100 pages, C/M/Y: 1,100 pages starter cartridges                                                                                                                 |
| <b>Accessories &amp; Options</b> |                                                                                                                                                                                                |
| <b>Items</b>                     | PAPER FEEDER PF-K1 (550-sheet cassette)                                                                                                                                                        |

## Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

**Product page:** <https://www.comx.co.za/PRCAMF752Cdw-Canon-i-SENSYS-MF752Cdw-A4-Multifunction-Buy-p-281345.php>

*Images and specifications are provided for reference and are subject to change without notice. E&OE.*

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 06:20:57.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other

---

## ComX Computers

### Product Specification Sheet

information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.