

PRCAMF754Cdw

Canon i-SENSYS MF754cdw A4 4-in-1 Colour Laser Printer, Print, Scan, Copy, Fax, USB, LAN, Wifi, Duplex

Product Overview

Canon i-SENSYS MF754cdw A4 4-in-1 Colour Laser Printer, Print, Scan, Copy, Fax, 33ppm print speed, Up to 1200 x 1200 dpi print Resolution, Platen 2-sided ADF (Single pass) Scanner Type, Up to 600 x 600 dpi Scan Resolution Optical, 50-sheet Multi-Purpose tray, 250-sheet Cassette, 50-sheet ADF, 150-sheet paper Output, Double sided printing, USB 2.0 Hi-Speed, Gigabit LAN, Wireless 802.11b/g/n, 12.7 cm LCD Colour Touch Screen Control Panel



Specifications

Overview:

Canon i-SENSYS MF750 Series

Optimal print and scan productivity from a colour multi-function printer with direct cloud connectivity.

- 33ppmA4 print speeds
- Up to 100ipm A4 scan speeds *MF754Cdw only
- A5 and A6S Media support
- 5"/12.7cm LCD colour touch panel

Streamline everyday business tasks

An updated colour engine in the Canon i-SENSYS MF750 Series delivers advanced usability and connectivity capabilities, as well as fast print and scan speeds, to boost your business productivity.

Features:

Ultimate productivity

Work faster by printing and scanning at speeds of up to 33ppm and 100ipm* (A4), as well as utilising a wide range of media handling with the ability to scan small documents such as cheques and receipts.

Built-in cloud connectivity

Centralise print management with cloud-based Universal Print by Microsoft and access documents directly from cloud storage services: Google Drive, DropBox and OneDrive.

Intuitive user experience

Streamline workflows with drag and drop tabs to customise the display and create one-touch shortcut buttons with Application Library apps.

Reliable security

ComX Computers

Product Specification Sheet

Advanced system verification protects the device from hacking and virus threats as soon as you start up, while Secure PIN restricts access to sensitive documents.

Specifications:

© 2023 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	PRCAMF754Cdw
General Specifications	
Machine Type	Colour Laser All-In-One
Available Functions	Print, copy, Scan, Fax
Print Specifications	
Print Speed	33ppm
Printing Method	Colour laser beam printing
Print Resolution	Up to 1200 x 1200 dpi
Warm-up Time	Approx. 14 seconds or less from power on
First-Print-Out Time	Colour approx.: 7.1 seconds or less
	Mono approx.: 7.1 seconds or less
Printer Languages	UFR II, PCL 5c, PCL6, Adobe PostScript
Fonts	45 PCL fonts
	136 PostScript fonts
Print Margins	5 mm-top, bottom, left and right
	10 mm-top, bottom, left and right (Envelope)
Toner Saver Mode	Yes
Advanced Printing Features	Encrypted Secure Print
	Secure Print
	Print from USB memory key (JPEG/TIFF/PDF)
	Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG)
	Microsoft Universal Print support
	iOS: AirPrint, Canon PRINT Business app
	Android, Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app
Copy Specifications	
Copy Speed	Single sided (A4): Up to 33 ppm
	Double sided (A4): Up to 29 ipm

ComX Computers

Product Specification Sheet

First-Copy-Out Time	ADF (A4):
	Colour Approx. 8.8 seconds or less
	Mono Approx. 7.6 seconds or less
	Platen (A4):
	Colour Approx. 9.4 seconds or less
	Mono Approx. 8.3 seconds or less
Copy Resolution	Up to 600 x 600 dpi
Copy Modes	Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text
Double Sided Copying	2-sided to 2-sided (Automatic)
Multiple Copies	Up to 999 copies
Reduction / Enlargement	25-400% in 1% increments
Other Features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy, Reserved copy
Scan Specifications	
Standard Type	Colour
Scan Resolution	Optical: Up to 600 x 600 dpi
	Enhanced: Up to 9600 x 9600 dpi
Scan Speed	Single sided mono: 50ipm (300x300dpi)
	Single sided colour: 40ipm (300x300dpi)
	Double sided mono: 100ipm (300x300dpi)
	Double sided colour: 80ipm (300x300dpi)
	Single sided mono: 40ipm (300x600dpi)
	Single sided colour: 20ipm (300x600dpi)
	Double sided mono: 80ipm (300x600dpi)
	Double sided colour: 40ipm (300x600dpi)
Colour Scanning Depth	24 bit/24 bit (input/output)
Greyscales	256 levels
Compatibility	TWAIN, WIA, ICA
Maximum Scan Width	216mm
Scan to E-mail	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to PC	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to USB Memory Key	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to FTP	TIFF/JPEG/PDF/Compact PDF/Searchable PDF
Scan to Cloud	TIFF/JPEG/PDF/PNG
iFAX	ITU-T.37
Fax Specifications	
Modem Speed	33.6 Kbps (Up to 3 seconds/page)
Receive Mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

ComX Computers

Product Specification Sheet

Fax Resolution	Standard: 200 x 100 dpi
	Fine: 200 x 200 dpi
	Super fine: 200 x 400 dpi
	Ultra fine: 400 x 400 dpi
Fax Memory	Up to 512 pages
Speed Dials	Up to 281dials
Group Dials/Destinations	Max. 299 dials / Max. 299 destinations
Sequential Broadcast	Max. 310 destinations
Memory Backup	Permanent fax memory backup (Backup with flash memory)
Double Sided Faxing	Yes (Transmit and Receive)
Other Features	Sender's Name (TTI), Direct Send, Review, TX Report, Sequential Broadcasting
Media Handling	
Scanner Type	Platen, 2-sided ADF (single pass)
Paper Input (Standard)	250-sheet cassette
	50-sheet multi-purpose tray
	50-sheet ADF
Paper Input (Option)	550-sheet cassette
Maximum Paper Input Capacity	850-sheet cassette
Paper Output	150-sheet
Media Types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope
Media Sizes	Cassette (Standard):
	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm.
	Multi-purpose tray:
	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.0 x 127 mm Max. 216.0 x 356.0 mm.
	Cassette (Optional):
	A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm.
	ADF:
	A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 48 x 85.0 mm Max 216.0 x 355.6 mm
Media Weights	Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper)
	Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper)
	ADF: 50 to 105 g/m ²

ComX Computers

Product Specification Sheet

Double Sided Printing	Automatic
	Cassette:
	A4, A5, A6, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K
	Custom size - Min. 148 x 148 mm Max. 216 x 356 mm
	60 to 200 g/m ²
Interface & Software	
Interface Type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Operating System Compatibility	Windows 11 / Windows 10 / Windows 8.1 / Server 2022 / Server 2019 / Server 2016 / Server 2012R2 / Server 2012
	Mac OS X version 10.12 & up
	Linux
Network Protocol	Print:
	TCP/IP (LPD/Port9100/IPP/IPPS/WSD)
	Scan:
	Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)
	E-mail/I-Fax: SMTP (send), POP3 (receive)
	Pull Scan: TCP/IP
	Management:
	SNMPv1, SNMPv3 (IPv4, IPv6)
	Security:
	TLS1.3, IPsec, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
	Security (wireless):
	Infrastructure Mode:
	WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES)
	Access Point Mode:
	WPA2-PSK(AES)
Software and Printer Management	MF Scan Utility
	Remote User Interface (RUI)
	Department ID Management
	Toner Status Tool
	iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices
	eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.
	Application Library
General Features	

ComX Computers

Product Specification Sheet

Recommended Monthly Print Volume	750 - 4,000 pages per month
Duty Cycle	Max. 50,000 pages per month
Processor Speed	1200MHz x 2
Memory	1GB
Control Panel	12.7 cm LCD Colour Touch Screen
Dimensions with Trays (W x D x H)	425 mm x 461 mm x 430 mm
Installation Space (W x D x H)	625 mm x 1,117 mm x 991 mm
Weight	Approx. 23.60 Kg
Operating Environment	Temperature: 10 to 30°C (50 to 86°F)
	Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V(+/-10%) 50/60Hz (+/-2Hz)
Power Consumption	Maximum: Approx. 1,380 W
	Active printing: Approx. 700W
	Standby: Approx. 24.0 W
	Sleep mode: Approx. 1.0 W
	Typical Electricity Consumption (TEC): 0.30 kWh/week (230V)
Noise Levels	Sound Pressure:
	Active: Simplex 51dB / Duplex 51dB (BW), 50dB (CL)
	Standby: 29 dB
	Sound Power:
	Active: 65dB or less
	Standby: 41dB or less
Consumables	
Cartridges	Cartridge 069 Black (2,100 pages*)
	Cartridge 069H Black (7,600 pages*)
	Cartridge 069 Cyan (1,900 pages*)
	Cartridge 069H Cyan (5,500 pages*)
	Cartridge 069 Magenta (1,900 pages*)
	Cartridge 069H Magenta (5,500 pages*)
	Cartridge 069 Yellow (1,900 pages*)
	Cartridge 069H Yellow (5,500 pages*)
	*Based on ISO/IEC 19798
	**Printer ships with Black: 2,100 pages, C/M/Y: 1,100 pages starter cartridges
Accessories & Options	
Items	PAPER FEEDER PF-K1 (550-sheet cassette)
	TEL 6 Kit Long Cord (Telephone handset)

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/PRCAMF754Cdw-Canon-i-SENSYS-MF754cdw-A4-4-in-1-Colour-Buy-p-288338.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-12 10:14:03.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.