

SG-VEGA-60G-0400

Sangoma - Vega 60 4 FXS Analog Gateway

Product Overview

Sangoma - Vega 60 4 FXS Analog Gateway, Connecting VoIP and PSTN, Connects directly to PSTN



Specifications

Overview:

Sangoma analog Vega gateways allow businesses to seamlessly connect VoIP and PSTN networks together without changing your infrastructure, saving you time and money. These small appliances reside at the edge of the corporate network and connect directly to the PSTN and internet cabling, automatically handle the call processing and media conversions.

They are the most resilient VoIP gateways in their class with built-in local survivability, which means in the event of a VoIP failure, the Vega gateway will allow internal extensions to continue calling each other and automatically route to a failover PSTN connection if available.

Features:

SIMPLIFIED DEPLOYMENT

All Vega Gateways have a Quick Wizard to quickly and easily deploy, eliminating the need of IT admin and complicated setup process.

LONG LINE LENGTH

Analog Vega Gateways allow you to install up to 8km away from the phones so you store your Vega in the same IT closet as the rest of your equipment.

HIGHLY INTEROPERABLE

All Vega Gateways support the standard VoIP/SIP protocol and have built-in transcoding so you can trust that your phone calls and faxes will work even in challenging environments. Vega Gateways also allow for custom configuration for the custom deployments.

BUILT-IN LOCAL SURVIVABILITY

In the event of a VoIP failure, the Vega Gateway will allow internal extensions to continue calling each other and automatically route to a failover PSTN connection if available.

FLEXIBLE ROUTING

Advanced flexible call routing with automatic failover and bypass routing.

Field Upgradable

Firmware updates can be performed remotely through WebGUI.

ComX Computers

Product Specification Sheet

Advanced Troubleshooting

Built-in call tracing and debugging utilities.

TR-069

Automated Configuration with TR-069

Secure

Support for TLS and SRTP

MWI

Message Waiting Indicator

Specifications:

© 2020 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (<http://www.comx.co.za>), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.

Specifications

Product Code	SG-VEGA-60G-0400
VoIP Interface	SIP
	Fax support - up to G3 FAX, using T.38
	Modem support - up to V.90, using G.711
	VoIP channel support: 8
	Audio Codecs:
	G.711 (a-law/ μ -law) (64 kbps)
	G.729a (8kbps)
	G.723.1 (5.3/6.4 kbps)
	G.726
Telephony Interface	4 or 8 FXS ports presented on RJ11
	4 or 8 FXO ports presented on RJ11
	4 FXO and 4 FXS ports presented on RJ11
	600R, 900R or CTR-21 line impedance
LAN Interface	1 x RJ-45, GigaBit, full / half duplex

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/SG-VEGA-60G-0400-Sangoma-Vega-60-4-FXS-Analog-Gateway-Buy-p-243672.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-16 16:17:02.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken

ComX Computers

Product Specification Sheet

to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.