

Synology E10G18-T1

Synology E10G18-T1 10GB PCI-e x4 Network Card

Product Overview

Synology E10G18-T1 Single Port 10GBASE-T/NBASE-T Add-in Card, 10 Gbps, Full Duplex, PCIe 3.0 x4 compatible, For use on: FS6400, FS3400, SA3600, SA3400, SA3200D



Specifications

Overview:

Single-port, high-speed 10GBASE-T/NBASE-T add-in card for Synology NAS servers

Features:

Flexible and economic solution for 10GbE adoption

Equipped with an RJ-45 connector and supports IEEE 802.3an/bz (10GBASE-T/NBASE-T) and 802.3x, E10G18-T1 helps you smoothly migrate to a 10GbE networking environment with your existing infrastructure. Supporting backward compatibility and auto-negotiation between 10Gbps, 5Gbps, 2.5Gbps, 1Gbps, and 100Mbps, E10G18-T1 is an economic solution to overcome the data transmission bottleneck for small businesses and home users.

Specifications:

© 2020 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	Synology E10G18-T1
General Specifications	

ComX Computers

Product Specification Sheet

Standards	IEEE 802.3an 10Gbps Ethernet
	IEEE 802.3bz 2.5Gbps/ 5Gbps Ethernet
	IEEE 802.3ab Gigabit Ethernet
	IEEE 802.3u Fast Ethernet
	IEEE 802.3x Flow Control
Data Transfer Rates	10 Gbps
Network Operation Mode	Full Duplex
Supported Features	9 KB Jumbo Frame
	TCP/UDP/IP Checksum Offloading
	Auto-negotiation between 100Mb/s, 1Gb/s, 2.5Gb/s, 5Gb/s, and 10Gb/s

ComX Computers

Product Specification Sheet

Applied Models	FS3017
	FS2017
	FS1018
	RS18017xs+
	RS18016xs+
	RS10613xs+
	RS4017xs+
	RS3618xs
	RS3617xs+
	RS3617RPxs
	RS3617xs
	RS3614xs+
	RS3614(RP)xs
	RS3413xs+
	RS3412(RP)xs
	RS3411(RP)xs
	RS2818RP+
	RS2418(RP)+
	RS1619xs+
	RS1219+
	RS818(RP)+
	RC18015xs+
	DS3617xs
	DS3615xs
	DS3612xs
	DS3611xs
	DS3018xs
	DS1819+
	DS1817+
	DS1618+
	DS1517+
Note	DSM version requirement: 6.2-23739-2 onward (or 6.1-15284-2 onward with DSM 6.1)
Hardware Specifications	
PCIe Interface	PCIe 3.0 x4
Bracket Height	Low Profile and Full Height
Size (Height x Width x Depth)	86.0 mm x 68.1 mm x 13.6 mm
Operating Temperature	0 degreesC to 40 degreesC (32 degreesF to 104 degreesF)

ComX Computers

Product Specification Sheet

Storage Temperature	-20 degreesC to 60 degreesC (-5 degreesF to 140 degreesF)
Relative Humidity	5% to 95% RH

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/Synology-E10G18-T1-Synology-E10G18-T1-10GB-PCI-e-x4-Buy-p-242005.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-11 15:24:26.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.