

TAPO-H200

TP-Link Tapo H200 Smart Hub

Product Overview

TP-Link Tapo H200 Smart Hub, 2.4GHz Wi-Fi, Gigabit LAN, Local MicroSD storage, 19 ringtone options, Low-power Wireless, Connect up to 64 Switches / sensors / buttons + 4 cameras or doorbells




Smart Living Starts Here

tapo



Build Your Tapo
Security Ecosystem

tapo



All Devices in One Hub

tapo



Specifications

Overview:

Tapo H200 - Tapo Smart Hub

- Up to 64+4 Devices - Connect more devices (up to 64 switches, sensors, or buttons + 4 cameras or doorbells) to create your home's smart ecosystem. Works with Tapo C420, Tapo C400, Tapo D230, and more.
- Smart Alarm & Chime - Works with your smart cameras (Tapo C420, Tapo C400), video doorbells (Tapo D230), and sensors as a smart alarm or chime when motion is detected or a visitor arrives.
- Local microSD Storage - Save recorded videos from your cameras or video doorbells to the hub-installed microSD card (up to 512 GB).
- 19 Ringtone Options - Multiple built-in ringtones (up to 90dB) for your customized scenarios.
- Low-Power Wireless - Helps your smart sensors and buttons last up to 10 times longer by adopting an ultra-low power wireless protocol.
- Voice Control - Works with Amazon Alexa and Google Home for hands-free automation.

Features:

Smart Living Starts Here

Smart Hub Tapo H200

Build Your Tapo Security Ecosystem

Smart living starts here with up to 64 smart sensors, buttons or switches + 4 cameras or video doorbells connected to your smart home ecosystem.

All Devices in One Hub

Connect up to 64 Sub-1G switches, sensors, or buttons + 4 cameras or video doorbells.

Smart Alarm & Chime

Use the hub as a smart alarm or chime to protect your home security by coordinating with your Tapo smart cameras, video doorbells, sensors, buttons, and more.

Local microSD Storage

Save recorded videos from your smart cameras and video doorbells to a microSD card (up to 512 GB), ensuring you to never miss anything.

Ultra-Low Power Wireless

An ultra-low power wireless protocol significantly extend your usage ensuring battery-powered devices last up to 10 times longer.

Reliable Smart Actions

No more fumbling in the dark with your hallway or bedroom lights turn on automatically as you pass by the sensor paired with your hub. Create more smart actions and enjoy reliable hands-free home automation.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	TAPO-H200
NETWORK	

ComX Computers

Product Specification Sheet

Frequency	2.4GHz Wi-Fi & Sub-1G
	863.35MHz, 864.35MHz, 868.35MHz (for EU/UK)
	920.9MHz, 921.7MHz, 922.3MHz (for US/AU).
ENVIRONMENT	
Operating Temperature	0-40 degreesC
PACKAGE CONTENTS	
Package Contents	Tapo H200
	RJ45 Ethernet Cable
	Power Adapter
	Quick Start Guide
HARDWARE	
Button	RESET Button
Indicator LED	System LED
Adapter Input	100-240V, 50/60Hz
Adapter Output	9V, 0.85A
Dimensions (W x D x H)	71.45*71.45*31.25 mm(2.8*2.8*1.2 inch)
OTHERS	
Certification	CE, FCC, RoHS, RCM

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/TAPO-H200-TP-Link-Tapo-H200-Smart-Hub-Buy-p-308902.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-07 12:06:24.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.