

TL-FC1420

TP-Link 14-slot Media converter Rackmount chassis

Product Overview

TP-Link TL-FC1420 14-slot Media converter Rackmount chassis, 1 fan, 100-240VAC AC Power Supply, 14x 5VDC / 0.6A Power Output



Specifications

Overview:

TL-FC1420 - 14-Slot Rackmount Chassis

- 14 bays to house up to 14 media converters
- Optional redundant power supply to ensure non-stop reliable operation
- Hot-Swappable; easy & quick replacement of converter
- Mounted two cooling fans for better ventilation

Features:

What This Product Does

The TL-FC1420 14-Slot Rackmount Chassis is specially designed to accommodate 14 TP-Link's Media Converters for central power supply, saving space and power cables. Continuous operation is of great importance to fiber communication, so the chassis is equipped with optional redundant power supply and Hot-Swapping function which allows installing/removing the converter without powering off the chassis. Moreover, to stabilize the performance and extend the lifetime, there is a cooling fan installed inside the original power supply. Together with FC series Gigabit / Fast Ethernet media converters, TL-FC1420 is the ideal solution for your media conversion network.

* For TP-Link Media Converters, TL-FC1420 supports TL-FCXXX ver:1.0 and above.

** TL-MCRP100 V2 can be used as the power supply module of TL-FC1420 . Each TL-MCRP100 is equipped with a cooling fan.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	TL-FC1420
HARDWARE FEATURES	
Fan Quantity	1
MEDIA CONVERTER & MODULE	
AC Power Supply	100-240VAC, 50/60Hz
Power Output	14 x 5VDC/0.6A
Dimensions (W*D*H)	19.0*12.2*3.4in.(482*309*86)
	Standard 19-Inch, 2U height
Environment	Operating Temperature: 0 degreesC~50 degreesC (32 degreesF~122 degreesF)
	Storage Temperature: -40 degreesC~70 degreesC (-40 degreesF~158 degreesF)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity:5%~90% non-condensing

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/TL-FC1420-TP-Link-14-slot-Media-converter-Rackmount-Buy-p-322299.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-27 11:08:37.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.