

TP-VIGI-NVR1008H-8P

TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE+ Network Video Recorder

Product Overview


TP-Link Vigi NVR1008H-8P Vigi 8 channel PoE+ Network Video Recorder, 4K HDMI Video Output & 16MP decoding capacity, 8 channel synchronous playback, H.265+ / H.265 / H.264+ / H.264 decoding Format, 1x RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface, 2x USB 2.0, 1 SATA Interface up to 10 TB, 8-channel IP Video Input up to 8 MP Resolution, Ports 1-8 PoE Ports, 53 W PoE budget



1. AUDIO IN and AUDIO OUT for Two-Way Audio
2. HDMI and VGA Ports for Video Output
3. Two USB Ports for Mouse, Keyboard, or Mobile Hard Disk Connection*
4. LAN Port for Ethernet Connection
5. Eight PoE+ Ports to Connect and Power Your Cameras
6. Power Supply

ComX Computers

Product Specification Sheet



Specifications

Overview Summary:

The TP-Link Vigi NVR1008H-8P is a professional-grade 8-channel PoE+ network video recorder, ideal for small businesses, offices, and retail setups in South Africa. It supports up to 4K video output and 16MP decoding capacity, allowing clear monitoring from up to eight cameras simultaneously. Simplified PoE+ deployment reduces cable clutter while H.265+ compression ensures efficient storage usage. Remote monitoring is easy via the VIGI app or web interface, letting you stay in control no matter where you are. Shop now to enhance your security setup with a reliable and versatile NVR.

With support for 8-channel simultaneous playback, two-way audio, and flexible installation options, this recorder delivers a seamless surveillance experience. Buy now to secure your premises with a system that combines professional performance with convenience.

Performance tier:Professional

Uses:Business security, office surveillance, retail monitoring, warehouse protection, remote camera management

Overview:

VIGI NVR1008H-8P 8 Channel PoE+ Network Video Recorder

The TP-Link VIGI NVR1008H-8P is a professional-grade 8-channel PoE+ network video recorder designed for small businesses, offices, and retail environments. Combining high-resolution video output with easy installation and versatile monitoring options, this NVR ensures your security system is both powerful and convenient to manage.

Description:

Capture sharp 4K video from up to eight cameras simultaneously, with support for 16MP decoding across channels. Simplified PoE+ deployment lets you connect and power cameras with a single Ethernet cable, while H.265+ compression reduces storage needs and network load. Enjoy remote monitoring through the VIGI app, plug-and-play camera setup, two-way audio communication, and flexible installation options-all designed to protect your business efficiently.

Features:

4K Video and High-Resolution Decoding

Experience detailed surveillance with 4K HDMI output and support for up to 16MP decoding. Each channel delivers crisp 8MP resolution, ensuring every corner of your monitored space is clear and visible.

PoE+ Ports for Easy Camera Deployment

Equipped with eight dedicated 10/100 Mbps PoE+ ports, this NVR supplies up to 30W per port, allowing you to power cameras directly through Ethernet cables. This simplifies installation, reduces cable clutter, and supports a range of IP cameras for small business applications such as restaurants, warehouses, and retail shops.

Simultaneous Playback Across All Channels

Quickly review events with 8-channel synchronous playback. You can replay multiple camera feeds at once, increase playback speed, and navigate the video schedule to locate important moments faster.

Efficient Video Compression

H.265+ technology compresses video without reducing quality, minimizing storage requirements and network bandwidth usage. This makes managing multiple high-resolution cameras more efficient and cost-effective.

Broad Compatibility with ONVIF

Easily expand your system by adding IP cameras from VIGI or other brands. ONVIF support ensures seamless integration for a diverse and scalable surveillance network.

Plug & Play Installation

New VIGI IP cameras are automatically recognized and activated by the NVR, allowing for quick and hassle-free installation without manual setup.

Continuous Recording and Large Storage Support

Record 24/7 with support for up to 10TB of storage via SATA interface, keeping your footage secure and accessible whenever you need it.

Remote Monitoring Options

Stay connected with the dedicated VIGI app, web UI, and VIGI Security Manager. Check live feeds, review recordings, and manage cameras from anywhere.

Flexible Installation for Any Space

Place the NVR on a desk, under a counter, or mount it on a rack. The flexible design fits multiple setups, giving you control over your system's placement.

Two-Way Audio Communication

Built-in two-way audio allows real-time voice intercom while monitoring camera feeds, ideal for staff management and enhanced security interaction.

Reliable Security for Your Business

TP-Link's VIGI system is built to protect your business around the clock. Its combination of high-quality video, simplified setup, and robust monitoring tools ensures your workplace stays safe and operational.

Specifications:

© 2025 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	TP-VIGI-NVR1008H-8P
DECODING	
Decoding Format	H.265+/H.265/ H.264+/H.264

ComX Computers

Product Specification Sheet

Live View/Playback Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF /
	DCIF/2CIF/CIF/QCIF
Synchronous Playback	8 Channel
Capability	2-ch @ 8MP, 4-ch @ 4MP, 8-ch @ 2MP
NETWORK	
Protocol	TCP/IP, DHCP, DNS, NTP, UPnP
Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
INTERFACES	
Network Interface	1 RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2 x USB 2.0
HARD DISK	
SATA	1 SATA Interface
Capacity	Up to 10 TB
GENERAL	
Package Contents	VIGI Network Video Recorder
	Power Adapter
	HDD Screws
	Mouse
	Quick Installation Guide
Operating Temperature	-10-55 degreesC
Dimensions(W X D X H)	294 x 180 x 44 mm
PoE	Standard: 802.3af/at
	PoE Ports: Ports 1-8
	PoE Budget: 53 W
External Power Supply	53.5V DC/1.31 A
Power Consumption	2.38 W (without disk)
	12.94 W (with disk)
VIDEO/IMAGE	
Video Input	8-Channel IP Video Input, up to 8 MP Resolution
Recording Resolution	8MP / 5MP / 4MP / 3MP / 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF
HDMI Output Resolution	1 Channel, Resolution: 3840x2160/30Hz, 1920x1080/60Hz
	1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz
	1024x768/60Hz, 1280x720/60Hz
VGA Output Resolution	1 Channel, Resolution: 1920x1080/60Hz, 1680x1050/60Hz
	1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz
	1024x768/60Hz

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/TP-VIGI-NVR1008H-8P-TP-Link-Vigi-NVR1008H-8P-Vigi-8-Buy-p-328387.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-13 05:41:39.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.