



UB-UPL-AMP-B

Ubiquiti UniFi Streaming PowerAmp - Black

Product Overview

Ubiquiti UniFi Streaming PowerAmp - Black, UPL-Amp-B, 2x GbE RJ45 Ports, 1.43" rotary Knob with Touchscreen, WiFi 2.4GHz / 5GHz, LED Ring, Class D audio amplifier Class, Stereo sound Output, 1x HDMI eARC Input, 2x RCA Analog inputs L/R



Specifications

Overview:

PowerAmp UPL-Amp-B

Premium speaker amplifier designed for high-fidelity multi-zone audio streaming and immersive spatial sound experiences.

- Low-latency wireless audio streaming with Apple AirPlay 2 and Spotify Connect
- 130 watts per channel at 8 ohms
- (2) speaker terminal outputs with (2) custom-designed banana plugs included
- (1) RCA analog subwoofer output
- (2) RCA analog inputs for left and right channels
- (1) HDMI eARC input with immersive spatial sound powered by Dolby Atmos
- 1.43" rotary knob with touchscreen
- Effortless setup, management, and group control with the UniFi Play mobile app

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	UB-UPL-AMP-B
Mechanical	
Dimensions	With knob: 217 x 236.8 x 63.7 mm (8.5 x 9.3 x 2.5")
	Without knob: 217 x 217 x 63.7 mm (8.5 x 8.5 x 2.5")
Weight	2.4 kg (5.3 lb)
Enclosure material	Plastic
Mounting	Desktop
Color	Black
	White
Hardware	
Networking interface	(2) GbE RJ45 ports
WiFi standards	802.11 a/b/g/n/ac
Connectivity	WiFi 2.4G, BW 20/40 MHz
	WiFi 5G, BW 20/40/80 MHz
Power method	(1) Universal AC input, 100-240V AC, 2.5A Max, 50/60 Hz
Power consumption	17W
LEDs	LED ring
LCM display	1.43" rotary knob with touchscreen
Button	Factory reset
Ambient operating temperature	-5 to 40 degrees C (23 to 104 degrees F)
Ambient operating humidity	5 to 90% noncondensing

ComX Computers

Product Specification Sheet

Certifications	FCC, IC, CE
Audio	
Per channel power (Continuous power)	130 W, 8 ohm, 1 kHz, < 0.05% THD+N, EIA (CEA-490-A)
	260 W, 4 ohm, 1 kHz, < 0.09% THD+N, EIA (CEA-490-A)
Amplifier class	Class D
Output	Stereo sound
Surround format	Dolby Atmos, Dolby TrueHD, Dolby Atmos (True HD), Dolby Atmos (Dolby Digital Plus), Dolby Digital, Dolby Digital Plus, Stereo PCM, Multichannel PCM, Dolby Multichannel PCM
Grouping	Up to 32 PowerAmps
Audio input	(1) HDMI eARC input
	(2) RCA analog inputs L/R
Audio output	(1) RCA analog subwoofer output
	(2) Speaker terminal outputs with (2) banana plugs
Streaming	AirPlay2, Spotify Connect, Soundtrack Your Brand
Application Requirements	
UniFi Play	UniFi Play iOS and Android : Version 1.0.0 and later

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/UB-UPL-AMP-B-Ubiquiti-UniFi-Streaming-PowerAmp-Black-Buy-p-310106.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-14 08:09:41.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.