

UPAPAP8704S-WW

Apc Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m

Product Overview

Apc Power Cord Kit (6 ea), Locking, C13 to C14, 1.2m, 2.22(lbs) 1.01(kilos), 9.45x 2.76x 1.77(in) 24.00x 7.00x 4.50(cent)



Specifications

Overview:

Free up space and secure power cords between rack-mount PDUs and attached IT equipment with this exclusive easy-to-use cord retention method. While these cords will fit into any standard IEC receptacle or power inlet; the "locking" feature is enabled only when used with APC AP8000 series Rack PDUs or IT equipment with built-in locking receptacles. These locking connectors reduce the probability of accidentally disconnecting cords and dropping loads.

Specifications:

© 2016 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	AP8704S-WW
Output	
Maximum Total Current Draw per Phase	10A
Output Connections	(1) IEC 320 C13
Cord Length	1.22 meters
Input	
Input Connections	IEC-320 C14
Cord Length	1.22 meters
Number of Power Cords	6
Maximum Line Current per phase	10A

ComX Computers

Product Specification Sheet

Maximum Input Current per phase	10A
Physical	
Net Weight	1.01 KG
Maximum Height	240.00 mm
Maximum Width	70.00 mm
Maximum Depth	45.00 mm
Shipping Weight	1.01 KG
Shipping Height	240.00 mm
Shipping Width	70.00 mm
Shipping Depth	45.00 mm
Color	Black
Units per Pallet	390
Environmental	
Operating Environment	0 - 70 degreesC
Operating Relative Humidity	20 - 80%
Operating Elevation	0-3000 meters
Storage Temperature	-25 - 75 degreesC
Storage Relative Humidity	20 - 80%
Storage Elevation	0-15000 meters
Conformance	
Regulatory Approvals	CCC, PSE, VDE
Sustainable Offer Status	
RoHS	Compliant
REACH	REACH: Contains No SVHCs

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/AP8704S-WW-Apc-Power-Cord-Kit-6-ea-Locking-C13-to-C14-Buy-p-143180.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-13 03:19:43.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

ComX Computers

Product Specification Sheet

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.