



UVC-DBLITE-W

Ubiquiti UniFi Protect Video Doorbell Lite - White

Product Overview

Ubiquiti UniFi Protect Video Doorbell Lite - White, UVC-Doorbell-Lite-W, 5m IR Night Vision, Smart detections, Two-Way Audio, IPX5 weatherproofing, 10/100 MbE Port Networking Interface, 24 fps Maximum Frame rate, 5MP 1920x2560 (3:4) Resolution, 1/2.7" 5MP Sensor, PoE Power Method



Specifications

Overview Summary:

The Ubiquiti UniFi Protect Video Doorbell Lite is a compact PoE-powered video doorbell designed for reliable everyday security. With crisp 5MP video, a tall portrait view, and built-in night vision, it delivers clear visuals of visitors at your door day or night. Two-way audio allows easy communication, while smart detections help you stay informed through the UniFi Protect platform.

Built for outdoor use with IPX5 weather resistance, this doorbell integrates seamlessly into UniFi environments for homes and small businesses. Its clean white design and versatile mounting options make it a practical choice for modern entrances. Shop now and add dependable UniFi-powered access monitoring to your property.

Performance tier:Mid-range

Uses:Home entrance monitoring, residential security, visitor identification, smart doorbell communication, UniFi Protect systems

Overview:

Ubiquiti UniFi Protect Video Doorbell Lite is a compact PoE-powered doorbell designed for reliable front door monitoring with clean aesthetics and strong everyday performance. Built to integrate smoothly with the UniFi Protect platform, it delivers sharp vertical video, responsive smart detections, and clear two-way audio in a space-saving form factor. Its weather-resistant build and flexible mounting options make it a practical choice for modern homes and small business entrances.

Description:

The UniFi Protect Video Doorbell Lite provides 5MP vertical video, infrared night vision up to 5 meters, and two-way audio for real-time communication. Powered via PoE, it ensures a stable connection while supporting smart detection events through UniFi Protect. With IPX5 weather protection and a compact white design, it offers dependable security monitoring without visual clutter.

Features:

Clean and compact doorbell design

Designed to blend into most entryways, the slim white housing keeps a low profile. The compact body supports versatile mounting positions for different door frames and walls.

High-resolution vertical video

The 5MP sensor captures a 3:4 vertical field of view at 1920x2560 resolution. This format is ideal for seeing visitors head to toe, including packages placed near the door.

Night monitoring with infrared clarity

Integrated infrared illumination enables visibility in low-light and nighttime conditions. The 5 meter IR range helps maintain clear footage after dark.

Two-way audio communication

Built-in audio allows clear conversation with visitors directly through the UniFi Protect interface. This is useful for deliveries, guests, or quick check-ins when you are away.

Smart detection support

ComX Computers

Product Specification Sheet

Smart detection capabilities help reduce unnecessary alerts by focusing on relevant motion events. Notifications integrate seamlessly within the UniFi Protect ecosystem.

Power and network connectivity

- Power over Ethernet simplifies installation by combining power and data through a single cable.
- 10/100 MbE networking provides a stable wired connection.

Built for outdoor conditions

- IPX5 weather resistance helps protect the doorbell from rain and splashes.
- The housing is designed for dependable operation in changing outdoor environments.

Key technical details

- 5MP 1/2.7 inch image sensor
- Maximum 24 fps frame rate
- 1920x2560 vertical resolution
- Infrared night vision up to 5 meters
- PoE power method
- IPX5-rated weather protection

Specifications:

© 2026 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	UVC-DBLITE-W
Overview	
Dimensions	137 x 40 x 26.4 mm
	(5.4 x 1.6 x 1")
IR Night Vision	5 m (16 ft)
Smart Detections (People, Vehicles, Animals)	?
Resolution	5MP
Field of View	H: 95.8degrees, V: 131.2degrees, D: 175.9degrees
Audio	Two-way audio
Weatherproofing	IPX5
Mounting	Wall, 20degrees wedge (Included)
	Gang box, junction box (Optional)
UniFi Application Suite	
Protect	?
Performance	
Networking Interface	10/100 MbE port
Video	

ComX Computers

Product Specification Sheet

Image Settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay
Max. Frame Rate	24 FPS
Resolution	5MP 1920 x 2560 (3:4)
Optics	
Sensor	1/2.7" 5MP
Lens	Fixed focal length
Night Mode	Built-in IR LED illumination and IR cut filter
Hardware	
Max. Power Consumption	8W
Supported Voltage Range	37-57V DC
Power Method	PoE
Processor	Dual-core Arm Cortex -A7 based chip
Weight	Device: 142 g (5 oz)
	With flat wall mount: 165 g (5.8 oz)
	With 20degrees wedge mount: 179 g (6.3 oz)
Enclosure Material	Polycarbonate, metal
Mount Material	Formed sheet metal
Button	(1) Ring button
	(1) Factory-reset
Ambient Operating Temperature	-30 to 50degrees C (-22 to 122degrees F)
Ambient Operating Humidity	20 to 90% noncondensing
NDAA Compliant	?
Certifications	CE, FCC, IC

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/UVC-DBLITE-W-Ubiquiti-UniFi-Protect-Video-Doorbell-Buy-p-333697.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-07 12:08:19.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

ComX Computers

Product Specification Sheet

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.