

WC-CH100IRA+L

Corsair CW-9061007-WW iCUE LINK H100i LCD Liquid CPU Cooler

Product Overview

Corsair CW-9061007-WW iCUE LINK H100i LCD Liquid CPU Cooler



Specifications

Overview:

A powerful all-in-one CPU cooler with an ultra-bright 2.1" IPS LCD screen, leveraging revolutionary iCUE LINK technology for easier, faster, and cleaner building than ever before.

Features:

- 240mm Radiator with QX120 RGB fans spinning up to 2,400 RPM
- Customizable LCD screen showcases system temps, images, and animated GIFs
- Copper cold plate compatible with latest Intel 1700 & AMD AM5 sockets
- iCUE LINK System Hub included to connect up to 14 devices

BUILD BETTER. BUILD SMARTER.

Redefine the way you build a DIY PC with a groundbreaking single-cable technology that automatically detects and configures your PC fans, CPU coolers, and other internal components.

THE EASY WAY TO BUILD A PC

Reduce cable clutter with a network of smart, interconnected components.

LINK YOUR COMPONENTS

The iCUE LINK ecosystem uses a single connector for all iCUE LINK devices.

UNITE YOUR SETUP

Each component connects directly to the next, creating a chain of devices.

BRILLIANT IPS LCD DISPLAY

A custom 2.1" IPS LCD screen with 480x480 resolution and an ultra-bright 600cd/m² backlight displays real-time CPU temperature, your favorite animated GIF, funniest meme, or your team's logo at 30 FPS in over 16.7 million colors.

EFFICIENT AND QUIET CPU COOLING

High-performance pump head and split-flow copper cold plate

Effortless Installation

Single cable connects to included hub with automatic installation

UNPARALLELED LIGHTING

QX RGB fans with 34 LEDs per fan and exclusive Time Warp lighting mode

Next-Gen AIO CPU Cooling

Boost your processor's performance with a split-flow copper cold plate with pre-applied CORSAIR XTM70 thermal paste. QX120 RGB fans ramp up to 2,400 RPM, complete with stunning lighting and next to no wiring for a flawless look.

IN THE SPOTLIGHT

24 RGB LEDs encircling the screen and 20 LEDs on the pump base provide a brilliant backdrop, with hidden connections to ensure no distractions from the view.

YOUR SETUP AT YOUR COMMAND

Adjust fan and pump speeds, control and synchronize RGB lighting, and monitor CPU and coolant temperatures in iCUE.

iCUE LINK SYSTEM HUB INCLUDED

Included CORSAIR iCUE LINK System Hub - connect up to 14 iCUE LINK devices (seven per port) in any order.

ZERO RPM MODE

PWM control lets you precisely set fan speeds so your fans only spin as fast as they need to, resulting in less fan noise overall, while support for Zero RPM means they can stop spinning completely at low loads.

Extreme performance thermal paste

All iCUE LINK LCD AIOs include pre-applied CORSAIR XTM70 Extreme Performance thermal paste for maximum heat transfer from your high-end processor to the cooler cold plate. For reliably high cooling performance, every step in the heat transfer and dissipation chain matters.

LOOK YOUR BEST

Stand out with the perfect blend of performance and aesthetics. Don't just build a PC, create a masterpiece.

Specifications:

© 2024 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	WC-CH100IRA+L
Product Length	280
Product Width	125
Product Height	120
Lighting	RGB
Radiator Dimensions	277mm x 120mm x 27mm
Number of Fans	2

ComX Computers

Product Specification Sheet

Cold Plate Material	Copper
Radiator Material	Aluminum
Fan Dimensions	120mm x 25mm
Cooling Socket Support	Intel 1700, Intel 1200, Intel 1150, Intel 1151, Intel 1155, Intel 1156, AMD AM5, AMD AM4
Fan Speed	480 - 2400RPM +/-10%
Fan Airflow	16.44 - 63.1 CFM
Fan Static Pressure	0.17 - 3.8mm-H2O
Radiator Size	240mm
iCUE Software	Yes
Tubing Length	400mm
Coldplate Dimensions	56 x 56mm
Tubing Material	Black Sleeved Low-Permeation Rubber
Fan Control Method	Digital
AMD Processors Supported	Ryzen
Intel Processors Supported	Core i9, i7, i5, i3, Pentium, Celeron
PWM	No
Weight	2.16

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/WC-CH100IRA-L-Corsair-CW-9061007-WW-iCUE-LINK-H100i-Buy-p-295403.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-09 16:07:08.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.