

WC-CH100iE+L

Corsair iCUE H100i ELITE LCD Display Liquid CPU Cooler

Product Overview

Corsair CW-9060061-WW H100i Elite+Lcd capellix 240mm CPU water cooling - with 2.1" iPS lcd screen (480x480, 600cd/m2, 16.7million colors, 24x RGB leds), Corsair Link for real-time monitoring and control - copper waterblock with 33x capellix RGB LED



Specifications

Overview:

The CORSAIR iCUE H100i ELITE LCD Display Liquid CPU Cooler delivers powerful, customized cooling for your CPU, with a personalized LCD screen and two cutting-edge CORSAIR ML120 RGB ELITE PWM fans.

Features:

ELITE LCD

The best performing coolers from one of the biggest names in cooling, ELITE LCD all-in-one liquid CPU coolers offer a unique window into both your PC's performance and your own style and personality.

YOUR OWN PERSONALIZED LCD DASHBOARD

Upload your own videos and images or choose from numerous pre-installed screens and lighting profiles for groundbreaking system lighting and customization options.

Brilliant IPS LCD Display

Showcase your favorite animated GIF, funniest meme, your team's logo, or anything you like on a custom 2.1" IPS LCD screen with 480x480 resolution and ultra-bright 600cd/m² backlight.

High-Performance Pump Head with RGB LED Ring

Don't sacrifice performance to thermal throttling. A powerful, low-noise pump head ensures you can squeeze every last MHz out of compatible CPUs.

Upgrade everything

Each Elite LCD Cooler comes with an iCUE COMMANDER CORE that can control lighting and fan speeds of not only the included fans, but up to a total of six. Turn any case into a smart case.

NEXT GENERATION Fans to Elevate Your CPU Cooling

All-new CORSAIR ML RGB ELITE magnetic levitation fans with eight RGB LEDs per fan and AirGuide technology channel airflow for extreme CPU cooling performance.

ZERO RPM MODE

Zero RPM cooling profiles in CORSAIR iCUE software allow fans to stop entirely at low temperatures, eliminating fan noise.

SPLIT-FLOW COPPER COLD PLATE

An optimal cold plate design and a high-density stack of 128 micro-skived fins-per-inch provides highly efficient cooling at all loads.

LGA 1700 READY

Each ELITE LCD cooler comes complete with all the mounting hardware you need for modern platforms, including AMD AM4 and Intel LGA 1200 and LGA 1700, and installs in just minutes.

Unite your setup

CORSAIR iCUE software brings your entire setup together, creating a fully immersive ecosystem with intuitive control.

Specifications:

© 2021 Respective owners and brand holders. This table has been carefully researched and generated by ComXpert International CC (http://www.comx.co.za), however, errors and omissions may occur. Only references to South Africa apply. All products are sourced in South Africa from the official suppliers and the warranty is that of the local supplier. E&OE. This table and our site's content may be used on condition that this notice and link remains intact and unaltered.	
Specifications	
Product Code	WC-CH100iE+L
Radiator Material	Aluminum
CORSAIR iCUE Compatibility	Yes
Tubing Length	380mm
Coldplate Dimensions	56x56mm
Tubing Material	Black Sleeved Low-Permeation Rubber
Screen Size	2.1"
Native Resolution	480x480
Max Resolution	480x480
Refresh Rate	30Hz
Radiator Dimensions	277mm x 120mm x 27mm
Fan Dimensions	120mm x 25mm
Weight	0.99
Number of Fans	2
Cooling Socket Support	Intel 1700, 1200, 1150, 1151, 1155, 1156, 1366, 2011, 2066
	AMD AM4, AM3, AM2, sTRX4, sTR4
Fan Model	ML ELITE Series
Peak Brightness	600 Nit
Display Colors	16.7M (8-bit RGB)

ComX Computers

Product Specification Sheet

Display Technology	IPS
Display Surface	Glossy
Fan Airflow	14.86 - 58.10 CFM
Noise Level	10 - 30.4 dBA

Product Information Online

For the latest product information, availability and purchasing details, please visit the product page:

Product page: <https://www.comx.co.za/WC-CH100iE-L-Corsair-iCUE-H100i-ELITE-LCD-Display-Liquid-Buy-p-261262.php>

Images and specifications are provided for reference and are subject to change without notice. E&OE.

Terms of Use: <https://www.comx.co.za/terms-of-use.php>

Terms of Sale: <https://www.comx.co.za/terms-of-sale.php>

PDF generated: 2026-10-26 04:36:05.

This PDF was generated automatically and may include content prepared or assisted by automated or AI-based systems. While reasonable care is taken to ensure accuracy, errors or omissions may occur.

For the most current and accurate product information, please refer to the product information available on our website. If any specification or other information differs from information published elsewhere, please confirm the details with us before relying on the information or making a purchasing decision.

If you identify an error or discrepancy, please report it to us so that we may investigate and correct it where necessary.